Welcome to STN International! Enter x:x

LOGINID: SSPTAJLK1617

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
* * * * * * * * * *
                     Welcome to STN International
                 Web Page for STN Seminar Schedule - N. America
NEWS
NEWS
         DEC 01
                 ChemPort single article sales feature unavailable
NEWS
         APR 03
                 CAS coverage of exemplified prophetic substances
                 enhanced
NEWS
         APR 07
                 STN is raising the limits on saved answers
NEWS 5
         APR 24
                 CA/CAplus now has more comprehensive patent assignee
                 information
NEWS 6 APR 26
                 USPATFULL and USPAT2 enhanced with patent
                 assignment/reassignment information
         APR 28
NEWS
                 CAS patent authority coverage expanded
                 ENCOMPLIT/ENCOMPLIT2 search fields enhanced
NEWS
         APR 28
NEWS 9
        APR 28
                 Limits doubled for structure searching in CAS
                 REGISTRY
NEWS 10 MAY 08 STN Express, Version 8.4, now available
NEWS 11 MAY 11 STN on the Web enhanced
NEWS 12 MAY 11
                 BEILSTEIN substance information now available on
                 STN Easy
                 DGENE, PCTGEN and USGENE enhanced with increased
NEWS 13
         MAY 14
                 limits for exact sequence match searches and
                 introduction of free HIT display format
NEWS 14
         MAY 15
                 INPADOCDB and INPAFAMDB enhanced with Chinese legal
                 status data
NEWS 15
         MAY 28 CAS databases on STN enhanced with NANO super role in
                 records back to 1992
                CAS REGISTRY Source of Registration (SR) searching
NEWS 16
         JUN 01
                 enhanced on STN
```

NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4, AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.

NEWS HOURS STN Operating Hours Plus Help Desk Availability NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

=> FILE REG
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.22 0.22

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 20:03:41 ON 05 JUN 2009 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ${\tt ZIC/VINITI}$ data file provided by InfoChem.

STRUCTURE FILE UPDATES: 4 JUN 2009 HIGHEST RN 1152369-03-3 DICTIONARY FILE UPDATES: 4 JUN 2009 HIGHEST RN 1152369-03-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=> E ectoine/	/CN	
E1	1	ECTOIN/CN
E2	1	ECTOIN SYNTHASE/CN
E3	1>	ECTOINE/CN
E4	1	ECTOINE HYDROXYLASE (BORDETELLA AVIUM STRAIN 197N GENE THPD) /CN
E5	1	ECTOINE HYDROXYLASE (CHROMOHALOBACTER SALEXIGENS STRAIN DSM 3043 GENE ECTD)/CN
E6	1	ECTOINE HYDROXYLASE (ECTD) (BRADYRHIZOBIUM STRAIN BTAI1)/CN
E7	1	ECTOINE HYDROXYLASE (ECTD) (BRADYRHIZOBIUM STRAIN ORS278)/CN
E8	1	ECTOINE HYDROXYLASE (HYPHOMONAS NEPTUNIUM STRAIN ATCC 15444)/CN
E9	1	ECTOINE HYDROXYLASE (NOCARDIA FARCINICA STRAIN IFM 10152 GEN E ECTD)/CN
E10	1	ECTOINE HYDROXYLASE (SACCHAROPOLYSPORA ERYTHRAEA STRAIN NRRL 2338 GENE ECTD)/CN
E11	1	ECTOINE SYNTHASE/CN
E12	1	ECTOINE SYNTHASE (ALCANIVORAX BORKUMENSIS STRAIN SK2 GENE EC
		TC)/CN
=> S e3		
L1	1 ECT	OINE/CN

=> D L1

L1 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2009 ACS on STN

RN 96702-03-3 REGISTRY

ED Entered STN: 09 Jun 1985

CN 4-Pyrimidinecarboxylic acid, 3,4,5,6-tetrahydro-2-methyl-, (4S)- (CA INDEX NAME)

OTHER CA INDEX NAMES:

```
4-Pyrimidinecarboxylic acid, 1,4,5,6-tetrahydro-2-methyl-, (4S)- (9CI)
CN
     4-Pyrimidinecarboxylic acid, 1,4,5,6-tetrahydro-2-methyl-, (S)-
CN
OTHER NAMES:
    Ectoin
CN
     Ectoine
CN
    NSC 614616
CN
CN
     Pyrostatin B
CN
     Pyrostatine B
CN
     RonaCare
FS
     STEREOSEARCH
     162763-51-1, 134522-10-4
DR
MF
     C6 H10 N2 O2
CI
     COM
LC
     STN Files:
                AGRICOLA, ANABSTR, BIOSIS, BIOTECHNO, CA, CAPLUS, CASREACT,
       CHEMCATS, CHEMLIST, CIN, CSCHEM, EMBASE, IPA, MEDLINE, NAPRALERT, PROMT,
       TOXCENTER, USPAT2, USPATFULL
```

Absolute stereochemistry.

```
**PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT**
```

```
335 REFERENCES IN FILE CA (1907 TO DATE)
19 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
340 REFERENCES IN FILE CAPLUS (1907 TO DATE)
```

```
=> E hydroxyectoine/CN
E1
             1
                   HYDROXYECHINOFURAN B/CN
E2
             1
                  HYDROXYECTOIN/CN
E3
             0 --> HYDROXYECTOINE/CN
E4
             1
                  HYDROXYEICOSATETRAENOIC ACID/CN
E5
             1
                  HYDROXYELGENOL/CN
E.6
             1
                  HYDROXYELTENAC/CN
E7
                  HYDROXYEMODIN/CN
             1
             2
                  HYDROXYEPHEDRINE/CN
E8
E9
                   HYDROXYEPOXYCOLLININ I/CN
             1
E10
                   HYDROXYEPOXYCOLLININ II/CN
             1
E11
             1
                   HYDROXYEREMOPHILONE/CN
E12
             1
                   HYDROXYERGOTAMINE/CN
=> S e2
L2
             1 HYDROXYECTOIN/CN
=> D L2
     ANSWER 1 OF 1 REGISTRY COPYRIGHT 2009 ACS on STN
L2
RN
     165542-15-4 REGISTRY
ED
     Entered STN: 01 Aug 1995
CN
     4-Pyrimidinecarboxylic acid, 1,4,5,6-tetrahydro-5-hydroxy-2-methyl-,
     (4S, 5S) - (CA INDEX NAME)
```

OTHER CA INDEX NAMES:

4-Pyrimidinecarboxylic acid, 1,4,5,6-tetrahydro-5-hydroxy-2-methyl-, [S-(R*,R*)]-

OTHER NAMES:

 $(S,S)-\beta-Hydroxyectoine$ CN

(S,S)-1,4,5,6-tetrahydro-5-hydroxy-2-methyl-4-pyrimidinecarboxylic acid CN

CN β -Hydroxyectoine

CN Hydroxyectoin

CN Pyrostatin A

Pyrostatine A CN

STEREOSEARCH FS

162763-50-0 DR

MFC6 H10 N2 O3

CI COM

SR CA

LC STN Files: CA, CAPLUS, CHEMCATS, CHEMLIST, CSCHEM, TOXCENTER, USPAT2, USPATFULL

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- 37 REFERENCES IN FILE CA (1907 TO DATE)
- 2 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
- 39 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> FILE MEDICINE

FULL ESTIMATED COST

FILE 'DRUGMONOG' ACCESS NOT AUTHORIZED

COST IN U.S. DOLLARS

SINCE FILE ENTRY SESSION 15.28 15.50

TOTAL

FILE 'ADISCTI' ENTERED AT 20:04:29 ON 05 JUN 2009 COPYRIGHT (C) 2009 Adis Data Information BV

FILE 'ADISINSIGHT' ENTERED AT 20:04:29 ON 05 JUN 2009 COPYRIGHT (C) 2009 Adis Data Information BV

FILE 'ADISNEWS' ENTERED AT 20:04:29 ON 05 JUN 2009 COPYRIGHT (C) 2009 Adis Data Information BV

FILE 'BIOSIS' ENTERED AT 20:04:29 ON 05 JUN 2009 Copyright (c) 2009 The Thomson Corporation

FILE 'BIOTECHNO' COULD NOT BE ENTERED

FILE 'CAPLUS' ENTERED AT 20:04:29 ON 05 JUN 2009 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'DDFB' COULD NOT BE ENTERED

FILE 'DDFU' ACCESS NOT AUTHORIZED

FILE 'DGENE' COULD NOT BE ENTERED

FILE 'DISSABS' ENTERED AT 20:04:29 ON 05 JUN 2009 COPYRIGHT (C) 2009 ProQuest Information and Learning Company; All Rights Reserved.

FILE 'DRUGB' COULD NOT BE ENTERED

FILE 'DRUGMONOG2' ENTERED AT 20:04:29 ON 05 JUN 2009 COPYRIGHT (C) 2009 IMSWORLD Publications Ltd

FILE 'DRUGU' COULD NOT BE ENTERED

FILE 'EMBAL' ENTERED AT 20:04:29 ON 05 JUN 2009 Copyright (c) 2009 Elsevier B.V. All rights reserved.

FILE 'EMBASE' ENTERED AT 20:04:29 ON 05 JUN 2009 Copyright (c) 2009 Elsevier B.V. All rights reserved.

FILE 'ESBIOBASE' COULD NOT BE ENTERED

FILE 'IFIPAT' ENTERED AT 20:04:29 ON 05 JUN 2009 COPYRIGHT (C) 2009 IFI CLAIMS(R) Patent Services (IFI)

FILE 'IMSDRUGNEWS' ENTERED AT 20:04:29 ON 05 JUN 2009 COPYRIGHT (C) 2009 IMSWORLD Publications Ltd

FILE 'IMSPRODUCT' ENTERED AT 20:04:29 ON 05 JUN 2009 COPYRIGHT (C) 2009 IMSWORLD Publications Ltd

FILE 'IPA' ENTERED AT 20:04:29 ON 05 JUN 2009 Copyright (c) 2009 The Thomson Corporation

FILE 'KOSMET' COULD NOT BE ENTERED

FILE 'LIFESCI' ENTERED AT 20:04:29 ON 05 JUN 2009 COPYRIGHT (C) 2009 Cambridge Scientific Abstracts (CSA)

FILE 'MEDLINE' ENTERED AT 20:04:29 ON 05 JUN 2009

FILE 'NAPRALERT' ENTERED AT 20:04:29 ON 05 JUN 2009 COPYRIGHT (C) 2009 Board of Trustees of the University of Illinois, University of Illinois at Chicago.

FILE 'NLDB' ENTERED AT 20:04:29 ON 05 JUN 2009 COPYRIGHT (C) 2009 Gale Group. All rights reserved.

FILE 'NUTRACEUT' COULD NOT BE ENTERED

FILE 'PASCAL' COULD NOT BE ENTERED

FILE 'PCTGEN' COULD NOT BE ENTERED

FILE 'PHARMAML' COULD NOT BE ENTERED

FILE 'PHIN' ENTERED AT 20:04:29 ON 05 JUN 2009 COPYRIGHT (C) 2009 Informa UK Ltd.

FILE 'SCISEARCH' ENTERED AT 20:04:29 ON 05 JUN 2009

Copyright (c) 2009 The Thomson Corporation

FILE 'TOXCENTER' ENTERED AT 20:04:29 ON 05 JUN 2009 COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USGENE' COULD NOT BE ENTERED

FILE 'USPATFULL' ENTERED AT 20:04:29 ON 05 JUN 2009
CA INDEXING COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPATOLD' ENTERED AT 20:04:29 ON 05 JUN 2009 CA INDEXING COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 20:04:29 ON 05 JUN 2009 CA INDEXING COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

=> S L1 or L2

'CN' IS NOT A VALID FIELD CODE

L3 893 L1 OR L2

=> D L4 1-21 IBIB ABS

L4 ANSWER 1 OF 21 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2008:636880 CAPLUS

DOCUMENT NUMBER: 148:569014

TITLE: Compositions for topical treatment of skin diseases

containing ectoin, urea or their derivs. and

St.-John's-wort extract

PATENT ASSIGNEE(S): Maria Clementine Martin Klosterfrau Vertriebsgesellschaft Mbh, Germany

SOURCE: Ger. Gebrauchsmusterschrift, 16pp.

CODEN: GGXXFR

DOCUMENT TYPE: Patent LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND DATE	APPI APPI	LICATION NO.	DATE
DE 202007004981 DE 102007013857	A1 2008	0925 DE 2	2007-20200700498 2007-10200701385	20070320
WO 2008113400	A1 2008	10925 WO 2	2007-EP10791	20071211
W: AE, AG, AL,	AM, AT, AU,	AZ, BA, BB,	, BG, BH, BR, BV	I, BY, BZ, CA,
CH, CN, CO,	CR, CU, CZ,	DE, DK, DM,	, DO, DZ, EC, EE	:, EG, ES, FI,
GB, GD, GE,	GH, GM, GT,	HN, HR, HU,	, ID, IL, IN, IS	JP, KE, KG,
KM, KN, KP,	KR, KZ, LA,	LC, LK, LR,	, LS, LT, LU, LY	MA, MD, ME,
MG, MK, MN,	MW, MX, MY,	MZ, NA, NG,	, NI, NO, NZ, ON	1, PG, PH, PL,
PT, RO, RS,	RU, SC, SD,	SE, SG, SK,	, SL, SM, SV, SY	, TJ, TM, TN,
TR, TT, TZ,	UA, UG, US,	UZ, VC, VN,	, ZA, ZM, ZW	
RW: AT, BE, BG,	CH, CY, CZ,	DE, DK, EE,	, ES, FI, FR, GE	GR, HU, IE,
IS, IT, LT,	LU, LV, MC,	MT, NL, PL,	, PT, RO, SE, SI	SK, TR, BF,
BJ, CF, CG,	CI, CM, GA,	GN, GQ, GW,	, ML, MR, NE, SN	I, TD, TG, BW,
GH, GM, KE,	LS, MW, MZ,	NA, SD, SL,	, SZ, TZ, UG, ZN	1, ZW, AM, AZ,
BY, KG, KZ,	MD, RU, TJ,	TM		

PRIORITY APPLN. INFO.:

The invention concerns pharmaceutical compns. for the treatment of skin AΒ diseases that contain a combination of (a) ectoin and/or at least one ectoin derivative; (b) urea and/or at least one urea derivative; and/or (c) ingredients of Hypericum perforatum L. Panthenol can be added. Ointments, creams, pastes, gels, lotions are prepared Thus a composition contained (weight/weight%): Med-Ectoin (highly purified from extremophilic bacteria) 5.0; allantoin 0.3; dexpanthenol 2.0; water 56.0; base cream to 100.

ANSWER 2 OF 21 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2005:673311 CAPLUS

DOCUMENT NUMBER: 143:158763

TITLE: Flavonoid complexes comprising cyclodextrins INVENTOR(S): Wirth, Corinna; Rosskopf, Ralf; Buchholz, Herwig

PATENT ASSIGNEE(S): Merck Patent G.m.b.H., Germany

PCT Int. Appl., 118 pp. SOURCE:

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

```
APPLICATION NO.
    PATENT NO.
                      KIND DATE
                              -----
                      ----
                                         _____
                                       WO 2004-EP14729
                             20050728
    WO 2005068484
                       A1
                                                               20041227
        W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
            CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
            GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
            LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
            NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
            TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
        RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
            AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
            EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT,
            RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML,
            MR, NE, SN, TD, TG
                              20050811
                                        DE 2004-102004002787
    DE 102004002787
                        Α1
                                                               20040119
    EP 1718658
                        Α1
                              20061108
                                        EP 2004-804319
        R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
            IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS
    CN 1906204
                        Α
                              20070131
                                        CN 2004-80040675
                                                               20041227
    JP 2007518750
                        Τ
                              20070712
                                         JP 2006-549918
                                                               20041227
                                         US 2006-586458
    US 20070155695
                       A1
                              20070705
                                                               20060718
PRIORITY APPLN. INFO.:
                                         DE 2004-102004002787A 20040119
                                         WO 2004-EP14729 W 20041227
OTHER SOURCE(S): MARPAT 143:158763
```

GΙ

AB The invention relates to complexes of specific flavonoid derivs. of formula (I), to prepns. containing derivs. of this type, to corresponding methods for producing the flavonoid derivs. or prepns. containing the latter and to their use, in particular for the care, preservation or improvement of the general condition of the skin or hair. In formula (I): Z1 to Z4 and Z6 to Z10 represent independently of one another H, OH, CH3COO, alkoxy, hydroxyalkoxy, monoglycoside or oligoglycoside groups, whereby the alkoxy and hydroxyalkoxy groups can be branched or unbranched and can have between 1 and 18 C atoms; A-B represents 2 carbons joined by either a single or double bond; and Z5 represents a monoglycoside or oligoglycoside group, whereby at least one group, selected from specific benzo derivs., is bonded to said glycoside group by means of a resp. -O- group.

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 3 OF 21 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2005:182648 CAPLUS

DOCUMENT NUMBER: 142:280056

TITLE: Preparation of chromen-4-one derivatives for use in

cosmetic and dermatological products Carola, Christophe; Buchholz, Herwig

PATENT ASSIGNEE(S): Merck Patent G.m.b.H., Germany

SOURCE: PCT Int. Appl., 83 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

INVENTOR(S):

PAT	ENT	NO.			KIN	D	DATE			APPL	ICAT	ION 1	NO.		D	ATE	
WO	2005	0191	 97		A1	_	2005	0303	•	WO 2	004-	EP80	43		2	0040	719
	W:	ΑE,	AG,	AL,	AM,	ΑT,	ΑU,	ΑZ,	BA,	BB,	ВG,	BR,	BW,	BY,	BZ,	CA,	CH,
		CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FΙ,	GB,	GD,
		GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	ΚE,	KG,	KP,	KR,	KΖ,	LC,
		LK,	LR,	LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NA,	NΙ,
		NO,	NZ,	OM,	PG,	PH,	PL,	PT,	RO,	RU,	SC,	SD,	SE,	SG,	SK,	SL,	SY,
		ТJ,	TM,	TN,	TR,	TT,	TZ,	UA,	UG,	US,	UΖ,	VC,	VN,	YU,	ZA,	ZM,	ZW
	RW:	BW,	GH,	GM,	ΚE,	LS,	MW,	MZ,	NA,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	AM,
		ΑZ,	BY,	KG,	KΖ,	MD,	RU,	ΤJ,	TM,	ΑT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,
		EE,	ES,	FI,	FR,	GB,	GR,	HU,	ΙE,	ΙΤ,	LU,	MC,	NL,	PL,	PT,	RO,	SE,
		SI,	SK,	TR,	BF,	ВJ,	CF,	CG,	CI,	CM,	GΑ,	GN,	GQ,	GW,	ML,	MR,	NE,
		SN,	TD,	ΤG													
DE	1033	7862			A1		2005	0317		DE 2	003-	1033	7862		2	0030	818
EP	1656	364			A1		2006	0517		EP 2	004-	7411.	36		2	0040	719
	R:	ΑT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	ΙΤ,	LI,	LU,	NL,	SE,	MC,	PT,

IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK А 20040719 20060920 CN 2004-80023579 CN 1835940 JP 2006-523547 JP 2007502787 Т 20070215 20040719 US 20060292093 A1 20061228 US 2006-568385 20060215 PRIORITY APPLN. INFO.: DE 2003-10337862 A 20030818 WO 2004-EP8043 W 20040719

OTHER SOURCE(S): CASREACT 142:280056; MARPAT 142:280056

GΙ

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB The invention relates to compds. that are selected from the compds. of formulas I [R1, R2 = H, C(:0)R7, C(:0)OR7, (un)branced C1-20-alkyl, C3-20-alkenyl, C1-20-hydroxyalkyl (primary or secondary OH), C3-10-cycloalkyl, C3-12-cycloalkenyl; R3 = H, (un)branced C1-20-alkyl; R4 = H, OR8; R5, R6 = H, OH, (un)branced C1-20-alkyl, C3-20-alkenyl, C1-20-hydroxyalkyl; R7 = H, (un)branced C1-20-alkyl, polyhydroxy compd, (e.g., ascorbic acid, glycoside); R8 = H, (un)branced C1-20-alkyl] II and III, and to their production and use in cosmetic and dermatol. products. Thus, L-ascorb-6-yl 5,7-dihydroxy-4-oxo-4H-chromen-2-carboxylate (IV) was prepared from 2,4,6-trihydroxyacetophenone via cyclocondensation with EtO2CCOCl in pyridine containing catalytic DMAP, saponification with Na2CO3 in EtOH,

and esterification with (+)-L-ascorbic acid in the presence of H2SO4. Examples of dermatol. formulations containing IV are presented.

REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 4 OF 21 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2005:155392 CAPLUS

DOCUMENT NUMBER: 142:225267

TITLE: Synthesis and use of chromene-4-one derivatives for

the care of skin and hair

INVENTOR(S): Carola, Christophe; Huber, Sylvia; Rosskopf, Ralf;

Buchholz, Herwig

PATENT ASSIGNEE(S): Merck Patent G.m.b.H., Germany

SOURCE: Eur. Pat. Appl., 42 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.			KIN	D	DATE			APPL	ICAT	ION I	. O <i>v</i>		D.	ATE		
EP 1508327			 ∆1		 2005	 0223		 EP 2	 004-	 1573	 9		- 2	0040	 705	
R: AT								GR,								
IE	, SI,	LT,	LV,	FI,	RO,	MK,	CY,	AL,	TR,	BG,	CZ,	EE,	HU,	PL,	SK,	HR
DE 1033786	3		A1		2005	0317		DE 2	003-	1033	7863		2	0030	818	
JP 2005060	398		А		2005	0310		JP 2	004-	2369	84		2	0040	817	
US 2005004	3398		A1		2005	0224		US 2	004-	9202	02		2	0040	818	
WO 2008025	368		A1		2008	0306		WO 2	006-:	EP84	74		2	0060	830	
W: AE	, AG,	AL,	AM,	ΑT,	ΑU,	AZ,	BA,	BB,	BG,	BR,	BW,	BY,	BZ,	CA,	CH,	
CN	, CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FΙ,	GB,	GD,	
GE	, GH,	GM,	HN,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KΕ,	KG,	KM,	KN,	KP,	
KF	, KZ,	LA,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	LY,	MA,	MD,	MG,	MK,	MN,	
M₩	, MX,	MY,	MZ,	NA,	NG,	NI,	NO,	NZ,	OM,	PG,	PH,	PL,	PT,	RO,	RS,	
RU	, SC,	SD,	SE,	SG,	SK,	SL,	SM,	SV,	SY,	ΤJ,	TM,	TN,	TR,	TT,	TZ,	
UA	., UG,	US,	UZ,	VC,	VN,	ZA,	ZM,	ZW								

```
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
               IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
               GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
               KG, KZ, MD, RU, TJ, TM
      EP 2056782
                              A1 20090513
                                                    EP 2006-777117
                                                                                  20060830
           R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
               IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL,
                BA, HR, MK, RS
      US 20080027133
                                       20080131
                                                     US 2007-869192
PRIORITY APPLN. INFO.:
                                                     DE 2003-10337863 A 20030818
                                                     US 2004-920202
                                                                            A1 20040818
                                                     WO 2006-EP8474
                                                                             W 20060830
                              MARPAT 142:225267
OTHER SOURCE(S):
      The invention concerns the synthesis of chromene-4-one derivs. and their
      application in cosmetic and dermatol. compns. for protecting and treating
      skin and hair. Thus 5,7-diacetoxy-3-acetyl-2-methyl-chromene-4-one was
      prepared from 2,4,6-trihydroxyacetophenone and sodium acetate in acetic acid
      anhydride; the product was boiled with sodium carbonate to obtain
      5,7-dihydroxy-2-methyl-chromene-4-one. The antiinflammatory activity of
      5,7-dihydroxy-2-methyl-chromene-4-one was tested with the PGE2 assay. A
      W/O emulsion contained (weight/weight%): 5,7-dihydroxy-2-methyl-chromene-4-one
      5; UV-pearl, OMC 30; polyglyceryl-3-dimerate 3; Cera alba 0.3; hydrogenated castor oil 0.2; liquid paraffin 7; caprylic/capric triglyceride
      7; hexyl laurate 4; PVP/eicosene copolymer 2; propylene glycol 4;
      magnesium sulfate 0.6; tocopherol 0.5; cyclomethicone 0.5; propylparaben
      0.05; methylparaben 0.15; water to 100.
REFERENCE COUNT:
                              5
                                     THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS
                                     RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT
     ANSWER 5 OF 21 CAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 2005:29203 CAPLUS
                              142:141233
DOCUMENT NUMBER:
TITLE:
                              Use of osmolytes obtained from extremophilic bacteria
                              for producing medicaments for the external treatment
                              of neurodermatitis
INVENTOR(S):
                              Krutmann, Jean
PATENT ASSIGNEE(S):
                              Bitop Aktiengesellschaft fuer Biotechnische
                              Optimierung, Germany
SOURCE:
                              PCT Int. Appl., 25 pp.
                              CODEN: PIXXD2
DOCUMENT TYPE:
                              Patent
LANGUAGE:
                              German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:
      PATENT NO.
                            KIND DATE APPLICATION NO. DATE
                              ____
      _____
                                      _____
                                                     ______
                             A1 20050113 WO 2004-EP7134 20040701
      WO 2005002581
          W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, DC, DL, DL, DT, DD, DL, CG, CD, CE, CG, CK, CL, CY, TI
           NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
               AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
                SN, TD, TG
      DE 10330243
                              A1
                                       20050120 DE 2003-10330243
                                                                                  20030703
```

EP 1641459

A1

20060405

EP 2004-740505

20040701

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,

IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK

JP 2009513506 Т 20090402 JP 2006-518076 20040701 US 20070122464 20070531 Α1 US 2005-563586 20051230 PRIORITY APPLN. INFO.: DE 2003-10330243 A 20030703 WO 2004-EP7134 W 20040701

AB The invention relates to the use of osmolytes, in particular ectoine and hydroxyectoine, in addition to their pharmacol. compatible salts and/or derivs. with a similar action, for producing dermatol. prepns. such as tinctures, lotions, O/W emulsions, W/O emulsions, creams, ointments, hydrogels or sprays for the topical prophylaxis, care and/or treatment of neurodermatitis. Thus a W/O emulsion contained (weight/weight%): water 85; ectoin 1.0; fatty base 10.3; polyalcs. 3.2; thickening agents 0.3; preservatives 0.2.

THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS REFERENCE COUNT: 11 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ANSWER 6 OF 21 TOXCENTER COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2005:361916 TOXCENTER COPYRIGHT: Copyright 2009 ACS DOCUMENT NUMBER: CA14208141233R

TITLE: Use of osmolytes obtained from extremophilic bacteria for

producing medicaments for the external treatment of

neurodermatitis Krutmann, Jean

CORPORATE SOURCE: ASSIGNEE: Bitop Aktiengesellschaft fuer Biotechnische

Optimieruna

PATENT INFORMATION: WO 2005002581 A1 13 Jan 2005 SOURCE: (2005) PCT Int. Appl., 25 pp.

CODEN: PIXXD2.

COUNTRY: GERMANY, FEDERAL REPUBLIC OF

DOCUMENT TYPE: Patent FILE SEGMENT: CAPLUS

AUTHOR(S):

CAPLUS 2005:29203 OTHER SOURCE:

LANGUAGE: German

ENTRY DATE: Entered STN: May 2009

Last Updated on STN: May 2009

The invention relates to the use of osmolytes, in particular ectoine and hydroxyectoine, in addition to their pharmacol. compatible salts and/or derivs. with a similar action, for producing dermatol. prepns. such as tinctures, lotions, O/W emulsions, W/O emulsions, creams, ointments, hydrogels or sprays for the topical prophylaxis, care and/or treatment of neurodermatitis. Thus a W/O emulsion contained (weight/weight%): water 85; ectoin 1.0; fatty base 10.3; polyalcs. 3.2; thickening agents 0.3; preservatives 0.2.

ANSWER 7 OF 21 USPATFULL on STN

2008:30837 USPATFULL ACCESSION NUMBER:

USE OF CHROMEN-4-ONE DERIVATIVES TITLE:

Carola, Christophe, Langen, GERMANY, FEDERAL REPUBLIC INVENTOR(S):

Buchholz, Herwig, Frankfurt, GERMANY, FEDERAL REPUBLIC

Huber, Sylvia, Darmstadt, GERMANY, FEDERAL REPUBLIC OF Rosskopf, Ralf, Muenster, GERMANY, FEDERAL REPUBLIC OF

		NUMBER	KIND	DATE		
FORMATION:	US	20080027133	A1	20080131		
017 71700		0000 000100	3.1	000000		

PATENT INF APPLICATION INFO.: US 2007-869192 Α1 20071009 (11)

RELATED APPLN. INFO.: Continuation of Ser. No. US 2004-920202, filed on 18

Aug 2004, PENDING

NUMBER DATE

PRIORITY INFORMATION: DE 2003-10337863 20030818

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON

BLVD., SUITE 1400, ARLINGTON, VA, 22201, US

NUMBER OF CLAIMS: 21 EXEMPLARY CLAIM: 1-16 LINE COUNT: 2162

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to the use of chromen-4-one derivatives of the

formula I ##STR1##

where R.sup.1 and R.sup.2 may be identical or different and are selected from H, --C(.dbd.0)--R.sup.7, --C(.dbd.0)--OR.sup.7, alkyl groups, alkenyl groups, hydroxyalkyl groups and/or cycloalkyl groups and/or cycloalkenyl groups, R.sup.3 is H or alkyl groups, R.sup.4 is H or OR.sup.8, R.sup.5 and R.sup.6 are selected from --H, --OH, alkyl groups, alkenyl groups and hydroxyalkyl groups, and R.sup.7 is H, alkyl groups, a polyhydroxyl compound, such as, preferably, an ascorbic acid radical or glycosidic radicals, and R.sup.8 is H or alkyl groups, where at least two of the substituents R.sup.1, R.sup.2 and R.sup.4-R.sup.6 are different from H or at least one substituent from R.sup.1 and R.sup.2 is --C(.dbd.0)--R.sup.7 or --C(.dbd.0)--OR.sup.7, for the care, preservation or improvement of the general state of the skin or hair.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 8 OF 21 USPATFULL on STN

ACCESSION NUMBER: 2007:177874 USPATFULL

TITLE: Flavonoid complexes with cyclodextrins

INVENTOR(S): Wirth, Corinna, Darmstadt, GERMANY, FEDERAL REPUBLIC OF

Rosskopf, Ralf, Muenster, GERMANY, FEDERAL REPUBLIC OF Buchholz, Herwig, Frankfurt, GERMANY, FEDERAL REPUBLIC

OF

NUMBER DATE

PRIORITY INFORMATION: DE 2004-102004 20040119 DOCUMENT TYPE: Utility

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON

BLVD., SUITE 1400, ARLINGTON, VA, 22201, US

NUMBER OF CLAIMS: 20
EXEMPLARY CLAIM: 1
LINE COUNT: 2626

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to complexes of certain flavonoid derivatives, of the formula I compositions which comprise such derivatives, corresponding processes for the preparation of the flavonoid derivatives or of compositions comprising same, and the use thereof, in particular for the care, preservation or improvement of the general state of the skin or hair. Formula (1), in which Z.sub.1 to Z.sub.4 and Z.sub.6 to

Z.sub.10 each, independently of one another, denote H, OH, CH.sub.3COO, alkoxy, hydroxyalkoxy, mono- or oligoglycoside radicals and where the alkoxy and hydroxyalkoxy groups may be branched and unbranched and can have 1 to 18 C atoms. Formula (II) denotes, Z.sub.5 is a mono- or the oligoglycoside radical, where bonded to this glycoside radical, in each case via an --O-- group, is at least one radical selected from certain benzo molecule. ##STR1##

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 9 OF 21 USPATFULL on STN

ACCESSION NUMBER: 2007:140473 USPATFULL

TITLE: Use of osmolytes obtained from extremophilic bacteria

for producing medicine for the external treatment of

neurodermatitis

Krutmann, Jean, Wegberg, GERMANY, FEDERAL REPUBLIC OF INVENTOR(S):

NUMBER KIND DATE _____ PATENT INFORMATION: APPLICATION INFO.: US 20070122464 A1 20070531 US 2004-563586 A1 20040701 WO 2004-EP7134 20040701 (10)20061213 PCT 371 date

NUMBER DATE

PRIORITY INFORMATION: DE 2003-10330243 20030703

DOCUMENT TYPE:
FILE SEGMENT: Utility APPLICATION FILE SEGMENT:

STREET, LOS ANGELES, CA, 90013, US LEGAL REPRESENTATIVE: BERLINER & ASSOCIATES, 555 WEST FIFTH STREET, 31ST

NUMBER OF CLAIMS: 1 EXEMPLARY CLAIM: 322 LINE COUNT:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The invention relates to the use of osmolytes, in particular ectoine and hydroxyectoine, as well as their pharmacologically compatible salts and/or derivatives having equivalent effects, for producing dermatological preparations such as tinctures, lotions, O/W emulsions, W/O emulsions, creams, ointments, hydrogels or sprays for the topical prophylaxis, care and/or treatment of neurodermatitis.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 10 OF 21 USPATFULL on STN

ACCESSION NUMBER: 2007:18123 USPATFULL

TITLE: Use of an alkyl ether of hydroxystilbene for the

treatment of dry skin

Dalko, Maria, Gif S/Yvette, FRANCE INVENTOR(S): Rubinstenn, Gilles, Paris, FRANCE

L'OREAL, Paris, FRANCE, 75008 (non-U.S. corporation) PATENT ASSIGNEE(S):

NUMBER KIND DATE ______ US 20070015840 A1 20070118 US 2003-538662 A1 20031110 (10) WO 2003-EP12507 20031110 PATENT INFORMATION: APPLICATION INFO.: 20060807 PCT 371 date

> NUMBER DATE _____

PRIORITY INFORMATION: FR 2002-16113 20021218

US 2003-438775P 20030109 (60)

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: C. IRVIN MCCLELLAND, OBLON, SPIVAK, MCCLELLAND, MAIER &

NEUSTADT, P.C., 1940 DUKE STREET, ALEXANDRIA, VA,

22314, US

NUMBER OF CLAIMS: 27 EXEMPLARY CLAIM: 1-20

NUMBER OF DRAWINGS: 1 Drawing Page(s)

LINE COUNT: 508

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The present invention relates to a method for the cosmetic treatment of dry skin or of a dry scalp, comprising the topical application to the skin or the scalp of a composition containing, in a physiologically acceptable medium, at least one alkyl ether of hydroxystilbene with a saturated or unsaturated, linear or branched C1-C6 alcohol. The composition may be used for cosmetic purposes, for treating drying out of the skin, in particular after the menopause, or for dermatological purposes, for treating disorders associated with oligoseborrhoeic dry skin, in particular forms of dermatitis. ##STR1##

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 11 OF 21 USPATFULL on STN

ACCESSION NUMBER: 2006:340313 USPATFULL Chromen-4-one derivatives

INVENTOR(S): Carola, Christophe, Heidelberg, GERMANY, FEDERAL

REPUBLIC OF

Buchholz, Herwig, Frankfurt, GERMANY, FEDERAL REPUBLIC

OF

20060215 PCT 371 date

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON

BLVD., SUITE 1400, ARLINGTON, VA, 22201, US

NUMBER OF CLAIMS: 19
EXEMPLARY CLAIM: 1
LINE COUNT: 2064

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to compounds that are selected from the compounds of formulas (Ia)-(Ic) and to their production and use in cosmetic and dermatological products. ##STR1##

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 12 OF 21 USPATFULL on STN

ACCESSION NUMBER: 2006:261094 USPATFULL

TITLE: Tricyclic quinoxaline and quinoline derivatives as UV

filters

INVENTOR(S): Pflucker, Frank, Darmstadt, GERMANY, FEDERAL REPUBLIC

OF

Schwarz, Michael, Weiterstadt, GERMANY, FEDERAL

REPUBLIC OF

Scholz, Volker, Darmstadt, GERMANY, FEDERAL REPUBLIC OF Neunhoeffer, Hans, Muhltal, GERMANY, FEDERAL REPUBLIC

OF

NUMBER KIND DATE

PATENT INFORMATION: US 20060222607 A1 20061005 APPLICATION INFO.: US 2006-446129 A1 20060605 (11)

RELATED APPLN. INFO.: Division of Ser. No. US 2003-471101, filed on 8 Sep

2003, PENDING A 371 of International Ser. No. WO

2002-EP1402, filed on 11 Feb 2002

NUMBER DATE

PRIORITY INFORMATION: DE 2001-10111728 20010309

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON

BLVD., SUITE 1400, ARLINGTON, VA, 22201, US

NUMBER OF CLAIMS: 21 EXEMPLARY CLAIM: 1-14 LINE COUNT: 2045

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to the use of quinoxaline derivatives of formula I, represented by formulas Ia and Ib, as photostable UV filters, in particular in cosmetic and pharmaceutical preparations for protecting the human epidermis or human hair against UV radiation, above all in the

280-400 nm range. ##STR1##

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 13 OF 21 USPATFULL on STN

ACCESSION NUMBER: 2005:50597 USPATFULL

TITLE: Use of chromen-4-one derivatives

INVENTOR(S): Carola, Christophe, Langen, GERMANY, FEDERAL REPUBLIC

OF

Buchholz, Herwig, Frankfurt, GERMANY, FEDERAL REPUBLIC

OF

Huber, Sylvia, Darmstadt, GERMANY, FEDERAL REPUBLIC OF Rosskopf, Ralf, Muenster, GERMANY, FEDERAL REPUBLIC OF

NUMBER KIND DATE

PATENT INFORMATION: US 20050043398 A1 20050224 APPLICATION INFO.: US 2004-920202 A1 20040818 (10)

NUMBER DATE

PRIORITY INFORMATION: DE 2003-10337863 20030818

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON

BLVD., SUITE 1400, ARLINGTON, VA, 22201

NUMBER OF CLAIMS: 25 EXEMPLARY CLAIM: 1 LINE COUNT: 2275

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to the use of chrome-4-one derivatives of the

formula I ##STR1##

where R.sup.1 and R.sup.2 may be identical or different and are selected

from H, --C(.dbd.0)--R.sup.7, --C(.dbd.0)--OR.sup.7, alkyl groups, alkenyl groups, hydroxyalkyl groups and/or cycloalkyl groups and/or cycloalkenyl groups, R.sup.3 is H or alkyl groups, R.sup.4 is H or OR.sup.8, R.sup.5 and R.sup.6 are selected from --H, --OH, alkyl groups, alkenyl groups and hydroxyalkyl groups, and R.sup.7 is H, alkyl groups, a polyhydroxyl compound, such as, preferably, an ascorbic acid radical or glycosidic radicals, and R.sup.8 is H or alkyl groups, where at least two of the substituents R.sup.1, R.sup.2 and R.sup.4--R.sup.6 are different from H or at least one substituent from R.sup.1 and R.sup.2 is --C(.dbd.0)--R.sup.7 or --C(.dbd.0)--OR.sup.7, for the care, preservation or improvement of the general state of the skin or hair.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 14 OF 21 USPATFULL on STN

ACCESSION NUMBER: 2004:133909 USPATFULL

TITLE: Tricyclic quinoxaline derivatives as a uv filter

INVENTOR(S): Pflucker, Frank, Darmstadt, GERMANY, FEDERAL REPUBLIC

OF

Schwarz, Michael, Weiterstadt, GERMANY, FEDERAL

REPUBLIC OF

Scholz, Volker, Darmstadt, GERMANY, FEDERAL REPUBLIC OF Neunhofer, Hans, Muhltal, GERMANY, FEDERAL REPUBLIC OF

	NUMBER	KIND	DATE	
PATENT INFORMATION: US	20040102446	A1	20040527	
US	7101537	B2	20060905	
APPLICATION INFO.: US	2003-471101	A1	20030908	(10)
WO	2002-EP1402		20020211	

NUMBER DATE

PRIORITY INFORMATION: DE 2001-10111728 20010309

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: Millen White, Zelano & Branigan, Arlington Courthouse

Plaza I, 2200 Clarendon Boulevard Suite 1400,

Arlington, VA, 22201

NUMBER OF CLAIMS: 14
EXEMPLARY CLAIM: 1
LINE COUNT: 2112

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The invention relates to the use of quinoxaline derivatives of formula I, represented by formulas 1a and 1b, as photostable UV filters, in particular in cosmetic and pharmaceutical preparations for protecting the human epidermis or human hair against UV radiation, above all in the 280-400 nm range. ##STR1##

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 15 OF 21 USPATFULL on STN

ACCESSION NUMBER: 2004:63310 USPATFULL

TITLE: Ectoin or ection derivatives and surfactants

INVENTOR(S): Buenger, Joachim, Otzberg-Hering, GERMANY, FEDERAL

REPUBLIC OF

Driller, Hans-Juergen, Gross-Umstadt, GERMANY, FEDERAL

REPUBLIC OF

Martin, Roland, Weinheim, GERMANY, FEDERAL REPUBLIC OF

PATENT ASSIGNEE(S): Merck Patent GmbH, Darmstadt, GERMANY, FEDERAL REPUBLIC

OF (non-U.S. corporation)

NUMBER KIND DATE ______

PATENT INFORMATION: US 20040047828 A1 20040311 APPLICATION INFO.: US 2003-620812 A1 20030717 (10)

RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 2001-744945, filed on 31 Jan 2001, GRANTED, Pat. No. US 6602514 A 371 of International Ser. No. WO 1999-EP5239, filed on 22 Jul

1999, UNKNOWN

NUMBER DATE

PRIORITY INFORMATION: DE 1998-19834817 19980801

DE 1999-DE19911775 19990317

Utility DOCUMENT TYPE: APPLICATION FILE SEGMENT:

LEGAL REPRESENTATIVE: MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON

BLVD., SUITE 1400, ARLINGTON, VA, 22201

NUMBER OF CLAIMS: 17 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 9 Drawing Page(s) LINE COUNT: 840

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The invention relates to the use of one or more compounds selected from the compounds of formulas (Ia) and (Ib), to the physiologically compatible slats of compounds of formulas (Ia) and (Ib), and to the stereoisomeric forms of the compounds of formulas (Ia) and (Ib), whereby R.sup.1, R.sup.2, R.sup.3, R.sup.4 and n have the meanings cited in Claim Nr. 1. The compounds are used for producing a cosmetic formulation. The compounds are, for example, advantageously used for protecting cells, proteins and/or biomembranes of the human skin, for protecting the microflora of the human skin, for stabilizing the skin barrier, and/or for ameliorating effects of surfactants.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 16 OF 21 USPATFULL on STN

ACCESSION NUMBER: 2003:294868 USPATFULL

TITLE: Preparation containing quinoxaline derivatives

INVENTOR(S): Plucker, Frank, UNITED STATES

Driller, Hansj?uuml, rgen, Gross-Umstadt, GERMANY,

FEDERAL REPUBLIC OF

Kirschbaum, Michael, Weiterstadt, GERMANY, FEDERAL

REPUBLIC OF

Scholz, Volker, Darmstadt, GERMANY, FEDERAL REPUBLIC OF

Neunhoeffer, Hans, M?uuml; hltal, GERMANY, FEDERAL

REPUBLIC OF

NUMBER KIND DATE _____ US 20030207886 A1 20031106 US 2002-221726 A1 20020916 (10) WO 2001-EP2517 20010306 PATENT INFORMATION: APPLICATION INFO.: 20010306

NUMBER DATE

PRIORITY INFORMATION: DE 2000-10013318 20000317

DOCUMENT TYPE: Utility APPLICATION FILE SEGMENT:

LEGAL REPRESENTATIVE: MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON

BLVD., SUITE 1400, ARLINGTON, VA, 22201

11 NUMBER OF CLAIMS: EXEMPLARY CLAIM: 1

LINE COUNT: 2434

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to the use of quinoxaline derivatives as photostable UV filters in cosmetic and pharmaceutical preparations for protecting the human epidermis or human hair against UV radiation, especially in the 280-400 nm range.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 17 OF 21 USPATFULL on STN

ACCESSION NUMBER: 2003:225277 USPATFULL

TITLE: Compositions containing enzymes stabilized with

inhibitors having certain binding properties and methods for using such compositions in personal care

INVENTOR(S): Elliott, Russell Phillip, Egham, UNITED KINGDOM

Saunders, Charles Winston, Fairfield, OH, UNITED STATES

Weisgerber, David John, Cincinnati, OH, UNITED STATES

PATENT ASSIGNEE(S): The Proctor & Gamble Company, Cincinnati, OH (non-U.S.

corporation)

NUMBER DATE

PRIORITY INFORMATION: US 2001-338149P 20011113 (60)

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: THE PROCTER & GAMBLE COMPANY, INTELLECTUAL PROPERTY

DIVISION, WINTON HILL TECHNICAL CENTER - BOX 161, 6110

CENTER HILL AVENUE, CINCINNATI, OH, 45224

NUMBER OF CLAIMS: 51 EXEMPLARY CLAIM: 1 LINE COUNT: 1599

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Leave-on personal care compositions comprising a stabilized enzyme, at least 30% water, less than 5% of an earth alkali metal salt, and an enzyme inhibitor having an inhibition constant (K.sub.l) from 10 nanomolar (nM) to 25,000 nM. Also, a method of providing a skin care benefits, e.g. skin feel and/or skin appearance, preferably skin moisturization, skin softness, and/or skin smoothness, comprising topically applying a safe and effective amount of the inventive compositions described herein to skin in need of such a skin care benefit. Further, a method of providing a consumer with a leave-on enzyme-containing personal care product, wherein the enzyme is inhibited and inactive on shelf, but is active on skin without the need for a separate re-activation step, preferably wherein the leave-on enzyme-containing personal care product comprises a one of the inventive compositions described herein.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 18 OF 21 USPATFULL on STN

ACCESSION NUMBER: 2003:209863 USPATFULL

TITLE: Use of ectoine or ectoine derivatives in cosmetic

formulations

INVENTOR(S): Bunger, Joachim, Gross-Umstadt, GERMANY, FEDERAL

REPUBLIC OF

Driller, Hans-Jurgen, Gross-Umstadt, GERMANY, FEDERAL

REPUBLIC OF

Martin, Roland, Weinheim, GERMANY, FEDERAL REPUBLIC OF PATENT ASSIGNEE(S):

Merck Patent GmbH, Darmstadt, GERMANY, FEDERAL REPUBLIC

OF (non-U.S. corporation)

NUMBER KIND DATE _____ US 6602514 B1 20030805 PATENT INFORMATION: WO 2000007560 20000217 US 2001-744945 WO 1999-EP5239 APPLICATION INFO.: 20010131 (9) 19990722

> NUMBER DATE

PRIORITY INFORMATION: DE 1998-19834817 19980801

DE 1999-19911775 19990317

DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Dees, Jose' G. ASSISTANT EXAMINER: Lamm, Marina

LEGAL REPRESENTATIVE: Millen, White, Zelano & Branigan, P.C.

NUMBER OF CLAIMS: 1 EXEMPLARY CLAIM:

NUMBER OF DRAWINGS: 4 Drawing Figure(s); 4 Drawing Page(s)

LINE COUNT: 602

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The use of one or more compounds chosen from the compounds of the formulae Ia and Ib ##STR1##

the physiologically compatible salts of the compounds of the formulae Ia and Ib and the stereoisomeric forms of the compounds of the formulae Ia and Ib, where R.sup.1, R.sup.2, R.sup.3, R.sup.4 and n have the meanings given in claim 1, for the preparation of a cosmetic formulation is advantageously suitable, e.g., for protecting cells, proteins and/or biomembranes of the human skin, for protecting the microflora of the human skin, and/or for stabilizing the skin barrier.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 19 OF 21 USPATFULL on STN

ACCESSION NUMBER: 2003:86818 USPATFULL

TITLE: Formulation for protection against oxidative stress

containing benzofuranone derivatives

Pflucker, Frank, UNITED STATES INVENTOR(S):

Buchholz, Herwig, Frankfurt, GERMANY, FEDERAL REPUBLIC

Rosskopf, Ralf, M?uuml;nster, GERMANY, FEDERAL REPUBLIC

Bunger, Joachim, Gross-Umstadt, GERMANY, FEDERAL

REPUBLIC OF

	NUMBER	KIND	DATE	
PATENT INFORMATION: US	20030060426	A1	20030327	
US	6903134	B2	20050607	
APPLICATION INFO.: US	2002-182385	A1	20020729	(10)
WO	2001-EP652		20010122	

		NUMBER	DATE
PRIORITY	INFORMATION:	DE 2000-100	20000128
		DE 2000-100	20001011
_ ~ ~			

DOCUMENT TYPE: Utility

APPLICATION FILE SEGMENT:

LEGAL REPRESENTATIVE: MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON

BLVD., SUITE 1400, ARLINGTON, VA, 22201

24 NUMBER OF CLAIMS: EXEMPLARY CLAIM: 1 LINE COUNT: 2135

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The invention relates to a cosmetic or pharmaceutical formulation comprising at least one compound of formula (I). The cosmetics or pharmaceutical products are particularly suitable for the care of the skin in protecting against oxidative stress and ageing phenomena.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 20 OF 21 USPAT2 on STN

ACCESSION NUMBER: 2004:133909 USPAT2

TITLE: Tricyclic quinoxaline and quinoline derivatives as a UV

filter

INVENTOR(S): Pfluecker, Frank, Darmstadt, GERMANY, FEDERAL REPUBLIC

Schwarz, Michael, Weiterstadt, GERMANY, FEDERAL

REPUBLIC OF

Scholz, Volker, Darmstadt, GERMANY, FEDERAL REPUBLIC OF Neunhoeffer, Hans, Muehital, GERMANY, FEDERAL REPUBLIC

Merck Patentgesellschaft, Darmstadt, GERMANY, FEDERAL PATENT ASSIGNEE(S):

REPUBLIC OF (non-U.S. corporation)

NUMBER KIND DATE US 7101537 B2 20060905 WO 2002072583 B2 20020919 PATENT INFORMATION: 20020919 US 2002-471101 20020211 (10) APPLICATION INFO.: WO 2002-EP1402 20020211

20030908 PCT 371 date

NUMBER DATE _____

PRIORITY INFORMATION: DE 2001-10111728 20010309

DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Wilson, James O. ASSISTANT EXAMINER: Tucker, Zachary C.

LEGAL REPRESENTATIVE: Millen, White, Zelano & Branigan, P.C.

NUMBER OF CLAIMS: 15 12 EXEMPLARY CLAIM: 2208 LINE COUNT:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The invention relates to the use of quinoxaline derivatives of formula I, represented by formulas 1a and 1b, as photostable UV filters, in particular in cosmetic and pharmaceutical preparations for protecting the human epidermis or human hair against UV radiation, above all in the 280-400 nm range.

##STR1##

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 21 OF 21 USPAT2 on STN

2003:86818 USPAT2 ACCESSION NUMBER:

TITLE: Formulation comprising benzofuranone derivatives for

protection against oxidative stress

INVENTOR(S): Pflucker, Frank, Darmstadt, GERMANY, FEDERAL REPUBLIC

OF

Buchholz, Herwig, Frankfurt, GERMANY, FEDERAL REPUBLIC

OE

Rosskopf, Ralf, Muenster, GERMANY, FEDERAL REPUBLIC OF

Bunger, Joachim, Gross-Umstadt, GERMANY, FEDERAL

REPUBLIC OF

PATENT ASSIGNEE(S): Merck Patent GmbH, Darmstadt, GERMANY, FEDERAL REPUBLIC

OF (non-U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 6903134	B2	20050607	
FAIENT INFORMATION.	WO 2001055128	152	20010802	
APPLICATION INFO.:	US 2002-182385		20010122	(10)
	WO 2001-EP652		20010122	
			20020729	PCT 371 date

NUMBER DATE

PRIORITY INFORMATION: DE 2000-10003785 20000128

DE 2002-10050237 20001011

DOCUMENT TYPE: Utility
FILE SEGMENT: GRANTED
PRIMARY EXAMINER: Qazi, Sabiha

LEGAL REPRESENTATIVE: Millen, White, Zelano, Branigan, P.C.

NUMBER OF CLAIMS: 27 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 0 Drawing Figure(s); 0 Drawing Page(s)

LINE COUNT: 2008

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The invention relates to a cosmetic or pharmaceutical formulation comprising at least one compound of formula (I). The cosmetics or pharmaceutical products are particularly suitable for the care of the skin in protecting against oxidative stress and ageing phenomena.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

=> S L3 and (neurodermatitis or eczema or (atopic dermatitis) UNMATCHED LEFT PARENTHESIS 'AND (NEURODERMA' The number of right parentheses in a query must be equal to the number of left parentheses.

=> S L3 and (neurodermatitis or eczema or (atopic dermatitis))
L5 20 L3 AND (NEURODERMATITIS OR ECZEMA OR (ATOPIC DERMATITIS))

=> S L4 and py<2004
'2004' NOT A VALID FIELD CODE
15 FILES SEARCHED...

L6 6 L4 AND PY<2004

=> DUP REM L6

DUPLICATE IS NOT AVAILABLE IN 'ADISINSIGHT, ADISNEWS, DRUGMONOG2, IMSPRODUCT'. ANSWERS FROM THESE FILES WILL BE CONSIDERED UNIQUE PROCESSING COMPLETED FOR L6

L7 6 DUP REM L6 (0 DUPLICATES REMOVED)

=> D L7 1-6 IBIB ABS KWIC

L7 ANSWER 1 OF 6 USPAT2 on STN

ACCESSION NUMBER: 2004:133909 USPAT2

TITLE: Tricyclic quinoxaline and quinoline derivatives as a UV

filter

INVENTOR(S): Pfluecker, Frank, Darmstadt, GERMANY, FEDERAL REPUBLIC

OF

Schwarz, Michael, Weiterstadt, GERMANY, FEDERAL

REPUBLIC OF

Scholz, Volker, Darmstadt, GERMANY, FEDERAL REPUBLIC OF Neunhoeffer, Hans, Muehital, GERMANY, FEDERAL REPUBLIC

OF

PATENT ASSIGNEE(S): Merck Patentqesellschaft, Darmstadt, GERMANY, FEDERAL

REPUBLIC OF (non-U.S. corporation)

NUMBER DATE

PRIORITY INFORMATION: DE 2001-10111728 20010309

DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Wilson, James O. ASSISTANT EXAMINER: Tucker, Zachary C.

LEGAL REPRESENTATIVE: Millen, White, Zelano & Branigan, P.C.

NUMBER OF CLAIMS: 15 EXEMPLARY CLAIM: 12 LINE COUNT: 2208

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to the use of quinoxaline derivatives of formula I, represented by formulas 1a and 1b, as photostable UV filters, in particular in cosmetic and pharmaceutical preparations for protecting the human epidermis or human hair against UV radiation, above all in the 280-400 nm range.

##STR1##

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

SUMM . . . is known that preparations of this type can be used, for example, for the therapy of psoriasis, various forms of eczema , irritative and toxic dermatitis, UV dermatitis and further allergic and/or inflammatory diseases of the skin and integumentary appendages. Preparations according. . .

IT 50652-76-1, 2-Hydroxy-5-methylaurophenone oxime 96702-03-3,

Ectoin 165542-15-4, Hydroxyectoin 457899-12-6

(antioxidants stabilized by; preparation of quinoxaline derivs. for use as as UV filter stabilizers in cosmetic and pharmaceutical formulations)

L7 ANSWER 2 OF 6 USPAT2 on STN

ACCESSION NUMBER: 2003:86818 USPAT2

TITLE: Formulation comprising benzofuranone derivatives for

protection against oxidative stress

INVENTOR(S): Pflucker, Frank, Darmstadt, GERMANY, FEDERAL REPUBLIC

OF

Buchholz, Herwig, Frankfurt, GERMANY, FEDERAL REPUBLIC

OF

Rosskopf, Ralf, Muenster, GERMANY, FEDERAL REPUBLIC OF

Bunger, Joachim, Gross-Umstadt, GERMANY, FEDERAL

REPUBLIC OF

PATENT ASSIGNEE(S): Merck Patent GmbH, Darmstadt, GERMANY, FEDERAL REPUBLIC

OF (non-U.S. corporation)

NUMBER DATE

PRIORITY INFORMATION: DE 2000-10003785 20000128

DE 2002-10050237 20001011

DOCUMENT TYPE: Utility
FILE SEGMENT: GRANTED
PRIMARY EXAMINER: Qazi, Sabiha

LEGAL REPRESENTATIVE: Millen, White, Zelano, Branigan, P.C.

NUMBER OF CLAIMS: 27 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 0 Drawing Figure(s); 0 Drawing Page(s)

LINE COUNT: 2008

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The invention relates to a cosmetic or pharmaceutical formulation comprising at least one compound of formula (I). The cosmetics or pharmaceutical products are particularly suitable for the care of the skin in protecting against oxidative stress and ageing phenomena.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

SUMM . . . is known that preparations of this type can be used, for example, for the therapy of psoriasis, various forms of eczema , irritative and toxic dermatitis, UV dermatitis and further allergic and/or inflammatory diseases of the skin and integumentary appendages. Formulations according. . .

50-81-7, Vitamin C, biological studies 50-81-7D, Vitamin C, derivs. 112-92-5, Stearyl alcohol 118-56-9, 3,3,5-Trimethylcyclohexyl salicylate 131-57-7, 2-Hydroxy-4-methoxybenzophenone 506-03-6, Chimyl alcohol 593-31-7, Selachyl alcohol 629-96-9, Arachidyl alcohol 661-19-8, Behenyl alcohol 1323-39-3, Propylene glycol monostearate 1338-39-2, Sorbitan monolaurate 5466-77-3 6197-30-4, 2-Ethylhexyl 2-Cyano-3,3-diphenylacrylate 9005-00-9, Steareth-2 12694-22-3, Diglyceryl monostearate 21245-02-3, 2-Ethylhexyl 4-(dimethylamino)benzoate 25496-72-4, Glyceryl monooleate 26402-22-2, Glyceryl monocaprinate 26402-26-6, Glyceryl monocaprylate 27194-74-7, Propylene glycol monolaurate 27195-16-0, Saccharose distearate 27214-38-6, Glyceryl monomyristate 27215-38-9, Glyceryl monolaurate 27503-81-7, 2-Phenylbenzimidazole-5-sulfonic acid 31565-12-5, Propylene glycol monocaprylate 31566-31-1, Glyceryl monostearate 366. Cetyl alcohol 36861-47-9 40867-42-3 54392-26-6, Sorbitan monoisostearate 60177-36-8, Sorbitan monocaprylate 63250-25-9, 4-Isopropyldibenzoylmethane 66085-00-5, Glyceryl monoisostearate 68171-38-0, Propylene glycol monoisostearate 70356-09-1, 1-(4-tert-Butylphenyl)-3-(4-methoxyphenyl)propane-1,3-dione 81752-33-2, Diglyceryl monoisostearate 96702-03-3 165542-15-4 179799-69-0, Isobehenyl alcohol 226418-81-1, Sorbitan monoisooleate (benzofuranone formulation for protection against oxidative stress)

TITLE: Preparation containing quinoxaline derivatives INVENTOR(S):

Plucker, Frank, UNITED STATES

Driller, Hansj?uuml, rgen, Gross-Umstadt, GERMANY,

FEDERAL REPUBLIC OF

Kirschbaum, Michael, Weiterstadt, GERMANY, FEDERAL

REPUBLIC OF

Scholz, Volker, Darmstadt, GERMANY, FEDERAL REPUBLIC OF

Neunhoeffer, Hans, M?uuml; hltal, GERMANY, FEDERAL

REPUBLIC OF

		NUMBER	KIND	DATE		
PATENT INFORMATION:	US	20030207886	A1	20031106		<
APPLICATION INFO.:	US	2002-221726	A1	20020916	(10)	
	WO	2001-EP2517		20010306		

NUMBER DATE _____ ___

PRIORITY INFORMATION: DE 2000-10013318 20000317

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON

BLVD., SUITE 1400, ARLINGTON, VA, 22201

NUMBER OF CLAIMS: 11 EXEMPLARY CLAIM: LINE COUNT: 2434

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The invention relates to the use of quinoxaline derivatives as photostable UV filters in cosmetic and pharmaceutical preparations for protecting the human epidermis or human hair against UV radiation, especially in the 280-400 nm range.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

. . is known that preparations of this type can be used, for SUMM example, for the therapy of psoriasis, various forms of eczema , irritative and toxic dermatitis, UV dermatitis and further allergic and/or inflammatory diseases of the skin and integumentary appendages.

Preparations according. ΙT 118-56-9 131-57-7 1504-78-5 2213-63-0 5466-77-3 6197-30-4 6323-89-3 6640-47-7, 2,3-Quinoxalinediamine 13481-33-9 17911-93-2 21245-02-3 25871-18-5 27503-81-7, 2-Phenylbenzimidazole-5-sulfonic acid 27739-37-3, 2,2'-Biquinoxaline 35552-76-2 36818-07-2 62294-86-4 36856-91-4 49679-45-0 50652-76-1 56404-42-3 63250-25-9 70356-09-1 75163-15-4 75163-16-5 75470-77-8 83451-39-2 84199-29-1 96702-03-3, Ectoin 97065-23-1 $99565 - 84 - 1 \qquad 100962 - 02 - 5 \qquad 101101 - 68 - 2 \qquad 101576 - 66 - 3 \qquad 112080 - 12 - 3$ 117764-56-4 127376-18-5 128499-91-2 143076-31-7 127376-24-3 156967-94-1 199275-08-6 205114-37-0 213467-54-0 361389-97-1 361390-03-6 361390-04-7 361390-05-8 361390-06-9 361390-07-0 361390-08-1 361390-09-2 361390-10-5 361390-12-7 361390-11-6 361390-14-9 361390-15-0 361390-17-2 361390-13-8 361390-16-1 361390-19-4 361390-20-7 361390-18-3 361390-21-8 361390-22-9 361390-24-1 361390-25-2 361390-29-6 361390-30-9 361390-23-0 361390-26-3 361390-27-4 361390-28-5 361390-31-0 361390-32-1 361390-33-2 361390-34-3 361390-35-4 361390-36-5 361390-37-6 361390-38-7 361390-39-8 361390-40-1 361390-41-2 361390-42-3 361390-43-4 361390-44-5 361390-45-6 361390-46-7 362518-85-2 362518-86-3 362518-87-4

> (prepns. containing quinoxaline derivs. as photostable UV filters for cosmetic and pharmaceutical use)

L7 ANSWER 4 OF 6 USPATFULL on STN

2003:225277 USPATFULL ACCESSION NUMBER:

Compositions containing enzymes stabilized with TITLE:

inhibitors having certain binding properties and methods for using such compositions in personal care

INVENTOR(S): Elliott, Russell Phillip, Egham, UNITED KINGDOM

Saunders, Charles Winston, Fairfield, OH, UNITED STATES Weisgerber, David John, Cincinnati, OH, UNITED STATES

PATENT ASSIGNEE(S): The Proctor & Gamble Company, Cincinnati, OH (non-U.S.

corporation)

NUMBER KIND DATE

US 20030157088 A1 20030821 US 2002-293100 A1 20021112 (10) PATENT INFORMATION: <--

APPLICATION INFO.:

NUMBER DATE _____

PRIORITY INFORMATION: US 2001-338149P 20011113 (60)

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: THE PROCTER & GAMBLE COMPANY, INTELLECTUAL PROPERTY

DIVISION, WINTON HILL TECHNICAL CENTER - BOX 161, 6110

CENTER HILL AVENUE, CINCINNATI, OH, 45224

NUMBER OF CLAIMS: EXEMPLARY CLAIM: LINE COUNT: 1599

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Leave-on personal care compositions comprising a stabilized enzyme, at least 30% water, less than 5% of an earth alkali metal salt, and an enzyme inhibitor having an inhibition constant (K.sub.l) from 10 nanomolar (nM) to 25,000 nM. Also, a method of providing a skin care benefits, e.g. skin feel and/or skin appearance, preferably skin moisturization, skin softness, and/or skin smoothness, comprising topically applying a safe and effective amount of the inventive compositions described herein to skin in need of such a skin care benefit. Further, a method of providing a consumer with a leave-on enzyme-containing personal care product, wherein the enzyme is inhibited and inactive on shelf, but is active on skin without the need for a separate re-activation step, preferably wherein the leave-on enzyme-containing personal care product comprises a one of the inventive compositions described herein.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

. . . and may eventually permit the surfactant, solvent, or agents SUMM carried by them, to interact with the keratin, causing irritation. Dry, itchy, or flaky skin may result from failure to maintain a proper water gradient across the stratum corneum. Most of the. outermost portions of stratum corneum to properly plasticize the tissue, and the skin begins to dry up, flake, and/or become itchy.

50-81-7, Vitamin C, biological studies 56-40-6, Glycine, biological ΙT studies 56-41-7, Alanine, biological studies 56-45-1, Serine, biological studies 56-81-5, Glycerin, biological studies 56-86-0D, Glutamic acid, acyl derivs. 58-08-2, Caffeine, biological studies 58-95-7, Tocopherol acetate 64-18-6D, Formic acid, salts 65-23-6, 68-26-8, Retinol 79-14-1D, Glycolic acid, salts 79-81-2, Pyridoxine Retinol palmitate 81-13-0, Panthenol 83-67-0, Theobromine 87-99-0, Xylitol 97-59-6, Allantoin 98-80-6, Phenylboronic acid 98-92-0, Niacinamide 107-36-8D, Isethionic acid, alkyl esters 107-97-1D, Sarcosine, alkyl derivs. 110-15-6D, Succinic acid, salts 110-63-4, Butane 1,4-diol, biological studies 124-04-9D, Adipic acid, salts

141-53-7D, Sodium formate, salts 141-82-2D, Malonic acid, salts 147-85-3, Proline, biological studies 147-85-3D, L-Proline, derivs. 149-32-6, Erythritol 151-21-3, Sodium lauryl sulfate, biological 407-64-7, γ -Butyrobetaine studies 302-79-4, Retinoic acid 515-69-5, α -Bisabolol 541-15-1, Carnitine 1184-78-7, Trimethylamine oxide 1406-16-2, Vitamin D 1406-18-4, Vitamin E 1932-50-9, Potassium glycolate 2235-54-3, Ammonium lauryl sulfate 3416-24-8, Glucosamine 4426-47-5, Butylboronic acid 4602-84-0, Farnesol 5704-04-1, Tricine 6458-06-6, β -Alanine betaine 7069-42-3, Retinyl propionate 7664-38-2D, Phosphoric acid, monoalkyl esters 7664-93-9D, Sulfuric acid, alkyl ethers or esters, salts 9004-82-4, Sodium laureth sulfate 9014-01-1D, Subtilisin, engineered recombinant forms 10043-35-3, Boric acid, biological studies 16068-46-5, Potassium phosphate 17087-29-5, Alanine betaine 23284-33-5, Lysine betaine 25322-68-3, Polyethylene glycol 25322-68-3D, Polyethylene glycol, alkyl ethers 25323-24-4, Hexanetriol 26100-47-0, Ammonium acrylate-acrylamide copolymer 27836-64-2, Lauryl 31904-60-6, Butanetetrol 32612-48-9, Ammonium laureth glucoside 33403-10-0, Potassium lauryl phosphate 43119-47-7, Tocopherol sulfate nicotinate 53948-31-5, Valine betaine 56755-22-7, Phenylalanine betaine 56987-64-5, Glutamic acid betaine 58846-77-8, Decyl glucoside 66101-16-4 73573-88-3, Mevastatin 74563-64-7, Phytantriol 75330-75-5, Lovastatin 87199-17-5, p-Formylphenylboronic acid 96702-03-3, Ectoin 108910-78-7, Magnesium ascorbyl phosphate 129499-78-1 156028-14-7, Sodium lauroamphoacetate 165542-15-4HvdroxvEctoin 214047-00-4 528569-57-5 528569-58-6 528569-59-7 528569-60-0

(topical cosmetic compns. containing enzymes stabilized with inhibitors)

L7 ANSWER 5 OF 6 USPATFULL on STN

ACCESSION NUMBER: 2003:86818 USPATFULL

TITLE: Formulation for protection against oxidative stress

containing benzofuranone derivatives

INVENTOR(S): Pflucker, Frank, UNITED STATES

Buchholz, Herwig, Frankfurt, GERMANY, FEDERAL REPUBLIC

OF

Rosskopf, Ralf, M?uuml;nster, GERMANY, FEDERAL REPUBLIC

OF

Bunger, Joachim, Gross-Umstadt, GERMANY, FEDERAL

REPUBLIC OF

	NUMBER	KIND	DATE		
PATENT INFORMATION:	US 20030060426 US 6903134	A1 B2	20030327 20050607		<
APPLICATION INFO.:	US 2002-182385 WO 2001-EP652	A1	20020729 20010122	(10)	

			NUMBER	DATE
PRIORITY	INFORMATION:	DE	2000-100	20000128
		DE	2000-100	20001011

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON

BLVD., SUITE 1400, ARLINGTON, VA, 22201

NUMBER OF CLAIMS: 24
EXEMPLARY CLAIM: 1
LINE COUNT: 2135

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to a cosmetic or pharmaceutical formulation comprising at least one compound of formula (I). The cosmetics or

pharmaceutical products are particularly suitable for the care of the skin in protecting against oxidative stress and ageing phenomena.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

. . . is known that preparations of this type can be used, for SUMM example, for the therapy of psoriasis, various forms of eczema , irritative and toxic dermatitis, UV dermatitis and further allergic and/or inflammatory diseases of the skin and integumentary appendages. Formulations according. . 50-81-7, Vitamin C, biological studies 50-81-7D, Vitamin C, derivs. ΙT 112-92-5, Stearyl alcohol 118-56-9, 3,3,5-Trimethylcyclohexyl salicylate 131-57-7, 2-Hydroxy-4-methoxybenzophenone 506-03-6, Chimyl alcohol 593-31-7, Selachyl alcohol 629-96-9, Arachidyl alcohol 661-19-8, Behenyl alcohol 1323-39-3, Propylene glycol monostearate 1338-39-2, Sorbitan monolaurate 5466-77-3 6197-30-4, 2-Ethylhexyl 2-Cyano-3,3-diphenylacrylate 9005-00-9, Steareth-2 12694-22-3, Diglyceryl monostearate 21245-02-3, 2-Ethylhexyl 4-(dimethylamino)benzoate 25496-72-4, Glyceryl monooleate 26402-22-2, Glyceryl monocaprinate 26402-26-6, Glyceryl monocaprylate 27194-74-7, Propylene glycol monolaurate 27195-16-0, Saccharose distearate 27214-38-6, Glyceryl monomyristate 27215-38-9, Glyceryl monolaurate 27503-81-7, 2-Phenylbenzimidazole-5-sulfonic acid 31565-12-5, Propylene glycol monocaprylate 31566-31-1, Glyceryl monostearate Cetyl alcohol 36861-47-9 40867-42-3 54392-26-6, Sorbitan monoisostearate 60177-36-8, Sorbitan monocaprylate 63250-25-9, 4-Isopropyldibenzoylmethane 66085-00-5, Glyceryl monoisostearate 68171-38-0, Propylene glycol monoisostearate 70356-09-1,

L7 ANSWER 6 OF 6 USPATFULL on STN

ACCESSION NUMBER: 2003:209863 USPATFULL

TITLE: Use of ectoine or ectoine derivatives in cosmetic

1-(4-tert-Butylphenyl)-3-(4-methoxyphenyl)propane-1,3-dione

formulations

Diglyceryl monoisostearate 96702-03-3 165542-15-4

INVENTOR(S): Bunger, Joachim, Gross-Umstadt, GERMANY, FEDERAL

REPUBLIC OF

Driller, Hans-Jurgen, Gross-Umstadt, GERMANY, FEDERAL

REPUBLIC OF

Martin, Roland, Weinheim, GERMANY, FEDERAL REPUBLIC OF

PATENT ASSIGNEE(S): Merck Patent GmbH, Darmstadt, GERMANY, FEDERAL REPUBLIC

179799-69-0, Isobehenyl alcohol 226418-81-1, Sorbitan monoisooleate (benzofuranone formulation for protection against oxidative stress)

OF (non-U.S. corporation)

	NUMBER	KIND	DATE		
PATENT INFORMATION:	US 6602514 WO 2000007560	B1	20030805 20000217		<
APPLICATION INFO.:	US 2001-744945 WO 1999-EP5239		20010131 19990722	(9)	

			NOMPER	DAIL
RIORITY	INFORMATION:	DE	1998-19834817	19980801
		DE	1999-19911775	19990317

DOCUMENT TYPE: Utility
FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Dees, Jose' G. ASSISTANT EXAMINER: Lamm, Marina

LEGAL REPRESENTATIVE: Millen, White, Zelano & Branigan, P.C.

NUMBER OF CLAIMS:

EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 4 Drawing Figure(s); 4 Drawing Page(s)

LINE COUNT: 602

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The use of one or more compounds chosen from the compounds of the formulae Ia and Ib ##STR1##

the physiologically compatible salts of the compounds of the formulae Ia and Ib and the stereoisomeric forms of the compounds of the formulae Ia and Ib, where R.sup.1, R.sup.2, R.sup.3, R.sup.4 and n have the meanings given in claim 1, for the preparation of a cosmetic formulation is advantageously suitable, e.g., for protecting cells, proteins and/or biomembranes of the human skin, for protecting the microflora of the human skin, and/or for stabilizing the skin barrier.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

SUMM . . . of microorganisms increases in the case of moist skin, e.g. as a result of inflammatory changes in the case of eczema, by up to $1000\text{-}\mathrm{fold}$.

IT 96702-03-3 165542-15-4

(cosmetic formulations containing ectoin or ectoin derivs.)

=> S L4 and pd<2006

7 FILES SEARCHED...

14 FILES SEARCHED...

15 FILES SEARCHED...

'2006' NOT A VALID FIELD CODE

'2006' NOT A VALID FIELD CODE

20 FILES SEARCHED...

L8 14 L4 AND PD<2006

=> S L8 not L7

L9 8 L8 NOT L7

=> DUP REM L9

DUPLICATE IS NOT AVAILABLE IN 'ADISINSIGHT, ADISNEWS, DRUGMONOG2, IMSPRODUCT'. ANSWERS FROM THESE FILES WILL BE CONSIDERED UNIQUE

PROCESSING COMPLETED FOR L9

L10 7 DUP REM L9 (1 DUPLICATE REMOVED)

=> D L10 1-7 IBIB ABS KWIC

L10 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2009 ACS on STN DUPLICATE 1

ACCESSION NUMBER: 2005:29203 CAPLUS

DOCUMENT NUMBER: 142:141233

TITLE: Use of osmolytes obtained from extremophilic bacteria

for producing medicaments for the external treatment

of neurodermatitis

INVENTOR(S):
Krutmann, Jean

PATENT ASSIGNEE(S): Bitop Aktiengesellschaft fuer Biotechnische

Optimierung, Germany PCT Int. Appl., 25 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

SOURCE:

PATENT NO. KIND DATE APPLICATION NO. DATE

```
20050113
     WO 2005002581
                                          WO 2004-EP7134
                                                                   20040701 <--
                         Α1
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE,
             GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK,
             LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO,
             NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ,
             TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
         RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
             AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
             EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,
             SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
             SN, TD, TG
     DE 10330243
                          Α1
                                20050120
                                            DE 2003-10330243
                                                                    20030703 <--
                                           EP 2004-740505
     EP 1641459
                         Α1
                                20060405
                                                                    20040701
            AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK
                                20090402
                                           JP 2006-518076
                         Τ
                                                                    20040701
     JP 2009513506
     US 20070122464
                                20070531
                                            US 2005-563586
                          Α1
                                                                    20051230
PRIORITY APPLN. INFO.:
                                            DE 2003-10330243
                                                                A 20030703
                                            WO 2004-EP7134
                                                                W 20040701
AΒ
     The invention relates to the use of osmolytes, in particular ectoine and
     hydroxyectoine, in addition to their pharmacol. compatible salts and/or
     derivs. with a similar action, for producing dermatol. prepns. such as
     tinctures, lotions, \text{O/W} emulsions, \text{W/O} emulsions, creams, ointments,
     hydrogels or sprays for the topical prophylaxis, care and/or treatment of
     neurodermatitis. Thus a W/O emulsion contained (weight/weight%): water
     85; ectoin 1.0; fatty base 10.3; polyalcs. 3.2; thickening agents 0.3;
     preservatives 0.2.
REFERENCE COUNT:
                         11
                               THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS
                               RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT
     Use of osmolytes obtained from extremophilic bacteria for producing
ΤI
     medicaments for the external treatment of neurodermatitis
     WO 2005002581 A1 20050113
PΙ
                                           APPLICATION NO.
                                                                  DATE
     PATENT NO.
                       KIND DATE
                                _____
                                            ______
                                          WO 2004-EP7134
                         A1 20050113
PΙ
     WO 2005002581
                                                                   20040701 <--
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE,
             GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK,
             LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO,
             NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ,
             TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
         RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
             AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
             EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,
             SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
             SN, TD, TG
     DE 10330243
                                20050120
                                            DE 2003-10330243
                                                                    20030703 <--
                          Α1
     EP 1641459
                                           EP 2004-740505
                                20060405
                         Α1
                                                                    20040701
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK
                                20090402
                                           JP 2006-518076
                                                                    20040701
     JP 2009513506
                         Τ
                                                                    20051230
     US 20070122464
                         Α1
                                20070531
                                            US 2005-563586
     . . . as tinctures, lotions, O/W emulsions, W/O emulsions, creams,
AΒ
     ointments, hydrogels or sprays for the topical prophylaxis, care and/or
     treatment of neurodermatitis. Thus a \mbox{W/O} emulsion contained
     (weight/weight%): water 85; ectoin 1.0; fatty base 10.3; polyalcs. 3.2;
     thickening agents 0.3; preservatives 0.2.
ST
     osmolyte extremophilic bacteria neurodermatitis cream ectoin
     hydroxyectoin
ΙT
     Analgesics
```

Anti-inflammatory agents

```
Antibiotics
     Fungicides
        (addnl. component; use of osmolytes obtained from extremophilic
        bacteria for producing medicaments for external treatment of
        neurodermatitis)
     Glucocorticoids
IΤ
     RL: COS (Cosmetic use); THU (Therapeutic use); BIOL (Biological study);
     USES (Uses)
        (addnl. component; use of osmolytes obtained from extremophilic
        bacteria for producing medicaments for external treatment of
        neurodermatitis)
ΤТ
     Pruritus
        (antiitching agents, addnl. component; use of osmolytes obtained from
        extremophilic bacteria for producing medicaments for external treatment
        of neurodermatitis)
     Cosmetics
ΤТ
        (creams; use of osmolytes obtained from extremophilic bacteria for
        producing medicaments for external treatment of neurodermatitis
     Cosmetics
ΤT
     Drug delivery systems
        (emulsions; use of osmolytes obtained from extremophilic bacteria for
        producing medicaments for external treatment of neurodermatitis
ΙT
     Eubacteria
        (extremophilic; use of osmolytes obtained from extremophilic bacteria
        for producing medicaments for external treatment of
        neurodermatitis)
ΙT
     Drug delivery systems
        (hydrogels; use of osmolytes obtained from extremophilic bacteria for
        producing medicaments for external treatment of neurodermatitis
     Cosmetics
ΤТ
     Drug delivery systems
        (lotions; use of osmolytes obtained from extremophilic bacteria for
        producing medicaments for external treatment of neurodermatitis
ΙT
     Dermatitis
        (neurodermatitis; use of osmolytes obtained from
        extremophilic bacteria for producing medicaments for external treatment
        of neurodermatitis)
ΙT
    Emulsions
        (oil-in-water; use of osmolytes obtained from extremophilic bacteria
        for producing medicaments for external treatment of
        neurodermatitis)
ΤТ
     Drug delivery systems
        (ointments, creams; use of osmolytes obtained from extremophilic
        bacteria for producing medicaments for external treatment of
        neurodermatitis)
ΙT
     Drug delivery systems
        (ointments; use of osmolytes obtained from extremophilic bacteria for
        producing medicaments for external treatment of neurodermatitis
     Cosmetics
ΤТ
     Drug delivery systems
        (sprays; use of osmolytes obtained from extremophilic bacteria for
        producing medicaments for external treatment of neurodermatitis
ΙT
     Drug delivery systems
        (topical; use of osmolytes obtained from extremophilic bacteria for
        producing medicaments for external treatment of neurodermatitis
```

```
Osmolytes
ΤТ
```

(use of osmolytes obtained from extremophilic bacteria for producing medicaments for external treatment of neurodermatitis)

Emulsions ΙT

> (water-in-oil; use of osmolytes obtained from extremophilic bacteria for producing medicaments for external treatment of neurodermatitis)

361540-77-4, Calcineurin ΙT

> RL: BSU (Biological study, unclassified); BIOL (Biological study) (inhibitor, addnl. component; use of osmolytes obtained from extremophilic bacteria for producing medicaments for external treatment of neurodermatitis)

ΙT 6418-92-4 88280-54-0 96702-03-3, Ectoine 96702-03-3D , Ectoine, salts 117229-60-4 117229-60-4D, salts 143491-08-1 164324-35-0, Firoin 240417-63-4, Firoin A 438624-63-6 RL: COS (Cosmetic use); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

> (use of osmolytes obtained from extremophilic bacteria for producing medicaments for external treatment of neurodermatitis)

L10 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2005:673311 CAPLUS

143:158763 DOCUMENT NUMBER:

Flavonoid complexes comprising cyclodextrins TITLE: Wirth, Corinna; Rosskopf, Ralf; Buchholz, Herwig INVENTOR(S):

PATENT ASSIGNEE(S): Merck Patent G.m.b.H., Germany

PCT Int. Appl., 118 pp. SOURCE:

CODEN: PIXXD2

DOCUMENT TYPE: Patent

German LANGUAGE:

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.			KIND DATE					APPLICATION NO.						DATE				
WO	2005	0684	84		A1		2005	0728		WO 2	004-	EP14	729		2	0041	227 <-	
	W:	ΑE,	AG,	AL,	AM,	ΑT,	ΑU,	AZ,	BA,	BB,	BG,	BR,	BW,	BY,	BZ,	CA,	CH,	
		CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,	GB,	GD,	
		GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	ΚE,	KG,	KP,	KR,	KΖ,	LC,	
		LK,	LR,	LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NA,	NI,	
					•		PL,										•	
							TZ,											
	RW:	•	•				MW,	•				•	•	•		•	•	
							RU,										•	
		•		•		•	GR,	•						•	•		•	
			•		•	•	BF,	BJ,	CF,	CG,	CI,	CM,	GA,	GN,	GQ,	GW,	ML,	
D.F.	1000		NE,				0005	0011		D	0.0.4	1000	0 4 0 0	0707	0	0040	110 .	
																	119 <-	
EP	1718																	
	R:						ES,									MC,	PT,	
ONT	1000						CY,									0011	007	
_	1906	-								_								
	2007																	
	2007				AI		2007	0 / 0 5										
CIORIT	Y APP	LN.	TNF.O	.:							004-							
	^ ~=	<i>(</i>					1 40	4 - 0 -		WO 2	004 - 1	EP14	129	1	N 2	0041.	227	
HER S	JURCE	(S):			MARI	PAT	143:	T28./	63									

GΙ

$$\begin{bmatrix} z^7 \\ z^6 \\ z^7 \\ z^8 \\ z^7 \\ z^8 \\ z^9 \\ z^{10} \\ z^$$

AB The invention relates to complexes of specific flavonoid derivs. of formula (I), to prepns. containing derivs. of this type, to corresponding methods for producing the flavonoid derivs. or prepns. containing the latter and to their use, in particular for the care, preservation or improvement of the general condition of the skin or hair. In formula (I): Z1 to Z4 and Z6 to Z10 represent independently of one another H, OH, CH3COO, alkoxy, hydroxyalkoxy, monoglycoside or oligoglycoside groups, whereby the alkoxy and hydroxyalkoxy groups can be branched or unbranched and can have between 1 and 18 C atoms; A-B represents 2 carbons joined by either a single or double bond; and Z5 represents a monoglycoside or oligoglycoside group, whereby at least one group, selected from specific benzo derivs., is bonded to said glycoside group by means of a resp. -O- group.

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

```
WO 2005068484 A1
                       20050728
PΤ
     PATENT NO.
                                DATE
                                            APPLICATION NO.
                         KIND
                                                                    DATE
                                            _____
                                            WO 2004-EP14729
     WO 2005068484
                                20050728
                                                                    20041227 <--
PΙ
                          Α1
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
             GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
             LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
             NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
             TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
         RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
             AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
             EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT,
             RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML,
             MR, NE, SN, TD,
     DE 102004002787
                                20050811
                                            DE 2004-102004002787
                                                                    20040119 <--
                          Α1
     EP 1718658
                                            EP 2004-804319
                                20061108
                                                                    20041227
                          Α1
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS
                                            CN 2004-80040675
     CN 1906204
                                20070131
                                                                    20041227
                          Α
     JP 2007518750
                          Τ
                                20070712
                                            JP 2006-549918
                                                                    20041227
     US 20070155695
                          Α1
                                20070705
                                            US 2006-586458
                                                                    20060718
     Anti-inflammatory agents
     Antioxidants
       Eczema
     Extraction
     Food additives
     Hair preparations
     Human
     Pruritus
     Sunscreens
```

(flavonoid complexes comprising cyclodextrins)

ΙT

Dermatitis

(neurodermatitis; flavonoid complexes comprising cyclodextrins) 7585-39-9, β -Cyclodextrin 10016-20-3, α -Cyclodextrin ΤТ 12619-70-4D, Cyclodextrins, derivs. 17465-86-0, γ -Cyclodextrin 20316-62-5 56317-05-6 96702-03-3, Ectoin 104987-11-3, Tacrolimus RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses) (flavonoid complexes comprising cyclodextrins) L10 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2009 ACS on STN ACCESSION NUMBER: 2005:182648 CAPLUS DOCUMENT NUMBER: 142:280056 TITLE: Preparation of chromen-4-one derivatives for use in cosmetic and dermatological products Carola, Christophe; Buchholz, Herwig INVENTOR(S): PATENT ASSIGNEE(S): Merck Patent G.m.b.H., Germany

SOURCE: PCT Int. Appl., 83 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent German LANGUAGE:

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PA'	PATENT NO.			KIND DATE			APPLICATION NO.						DATE				
WO	2005	0191	 97		A1	_	2005	0303							2	0040	719 <
	W:	ΑE,	AG,	AL,	AM,	ΑT,	ΑU,	ΑZ,	BA,	BB,	BG,	BR,	BW,	BY,	BZ,	CA,	CH,
		CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FΙ,	GB,	GD,
		GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	ΚE,	KG,	ΚP,	KR,	KΖ,	LC,
		LK,	LR,	LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NA,	NI,
		NO,	NZ,	OM,	PG,	PH,	PL,	PT,	RO,	RU,	SC,	SD,	SE,	SG,	SK,	SL,	SY,
		ТJ,	TM,	TN,	TR,	TT,	TZ,	UA,	UG,	US,	UZ,	VC,	VN,	YU,	ZA,	ZM,	ZW
	RW:	BW,	GH,	GM,	ΚE,	LS,	MW,	MZ,	NA,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	AM,
		AZ,	BY,	KG,	KZ,	MD,	RU,	ТJ,	TM,	AT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,
		EE,	ES,	FI,	FR,	GB,	GR,	HU,	ΙE,	IT,	LU,	MC,	NL,	PL,	PT,	RO,	SE,
		SI,	SK,	TR,	BF,	ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	GQ,	GW,	ML,	MR,	NE,
		SN,	TD,	TG													
DE	1033	7862			A1		2005	0317		DE 2	003-	1033	7862		2	0030	818 <
EP	1656	364			A1		2006	0517		EP 2	004-	7411	36		2	0040	719
	R:	ΑT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,
		ΙE,	SI,	FΙ,	RO,	CY,	TR,	BG,	CZ,	EE,	HU,	PL,	SK				
CN	1835	940			A		2006	0920		CN 2	004-	8002	3579		2	0040	719
JP	2007	5027	87		Τ		2007	0215		JP 2	006-	5235	47		2	0040	719
US	2006	0292	093		A1		2006	1228		US 2	006-	5683	85		2	0060	215
PRIORIT	Y APP	LN.	INFO	. :						DE 2	003-	1033	7862		A 2	0030	818
										WO 2	004-	EP80	43		W 2	0040	719
OTHER SO	OURCE	(S):			CAS	REAC	T 14	2:28	0056	; MA	RPAT	142	:280	056			

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

The invention relates to compds. that are selected from the compds. of formulas I [R1, R2 = H, C(:0)R7, C(:0)OR7, (un)branced C1-20-alkyl, C3-20-alkenyl, C1-20-hydroxyalkyl (primary or secondary OH), C3-10-cycloalkyl, C3-12-cycloalkenyl; R3 = H, (un)branced C1-20-alkyl; R4 = H, OR8; R5, R6 = H, OH, (un) branced C1-20-alkyl, C3-20-alkenyl, C1-20-hydroxyalkyl; R7 = H, (un) branced C1-20-alkyl, polyhydroxy compd, (e.g., ascorbic acid, glycoside); R8 = H, (un)branced C1-20-alkyl] II and III, and to their production and use in cosmetic and dermatol. products.

Thus, L-ascorb-6-yl 5,7-dihydroxy-4-oxo-4H-chromen-2-carboxylate (IV) was prepared from 2,4,6-trihydroxyacetophenone via cyclocondensation with EtO2CCOCl in pyridine containing catalytic DMAP, saponification with Na2CO3 in EtOH,

and esterification with (+)-L-ascorbic acid in the presence of H2SO4.

Examples of dermatol. formulations containing IV are presented.

REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ΡI	WO	2005	0191	97 A	1 2	0050	303												
	PATENT NO.				KIND DATE				-	APPLICATION NO.					DATE				
ΡI	WO	2005	 0191	 97		A1		2005	0303	,	WO 2					2	0040	 719 <	_
		W:	ΑE,	AG,	AL,	AM,	ΑT,	AU,	ΑZ,	BA,	BB,	BG,	BR,	BW,	BY,	BZ,	CA,	CH,	
			CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FΙ,	GB,	GD,	
			GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KΕ,	KG,	KP,	KR,	KΖ,	LC,	
			LK,	LR,	LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NA,	NI,	
			NO,	NZ,	OM,	PG,	PH,	PL,	PT,	RO,	RU,	SC,	SD,	SE,	SG,	SK,	SL,	SY,	
			ΤJ,	TM,	TN,	TR,	TT,	TZ,	UA,	UG,	US,	UΖ,	VC,	VN,	YU,	ZA,	ZM,	ZW	
		RW:	BW,	GH,	GM,	ΚE,	LS,	MW,	MZ,	NA,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	AM,	
			ΑZ,	BY,	KG,	KΖ,	MD,	RU,	ТJ,	TM,	ΑT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,	
			EE,	ES,	FI,	FR,	GB,	GR,	HU,	ΙE,	ΙT,	LU,	MC,	NL,	PL,	PT,	RO,	SE,	
			SI,	SK,	TR,	BF,	ВJ,	CF,	CG,	CI,	CM,	GΑ,	GN,	GQ,	G₩,	ML ,	MR,	NE,	
			SN,	TD,	ΤG														
	DE 10337862				A1	A1 20050317				DE 2003-10337862					20030818 <			-	
	EP	1656	364			A1		2006	0517		EP 2	004-	7411	36		2	0040	719	
		R:	ΑT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	ΙT,	LI,	LU,	NL,	SE,	MC,	PT,	
			ΙE,	SI,	FΙ,	RO,	CY,	TR,	BG,	CZ,	EE,	HU,	PL,	SK					
	CN	1835	940			Α	20060920			1	CN 2	004-	8002	3579		20040719			
	JP	JP 2007502787				Τ	20070215			JP 2006-523547					20040719				
	US	2006	0292	093		A1		2006	1228		US 2	006-	5683	85		2	0060	215	
TТ	Ecs	zema																	

ΙT Eczema

Hair, disease

Keratosis

Papilloma

Psoriasis

Wart.

(therapeutics; preparation of chromen-4-one derivs. for use in cosmetic and dermatol. products)

289-95-2D, Pyrimidine, carboxylic acid derivs. 96702-03-3,

RL: COS (Cosmetic use); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(companion drug; preparation of chromen-4-one derivs. for use in cosmetic and dermatol. products)

L10 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2005:155392 CAPLUS

DOCUMENT NUMBER: 142:225267

TITLE: Synthesis and use of chromene-4-one derivatives for

the care of skin and hair

Carola, Christophe; Huber, Sylvia; Rosskopf, Ralf; INVENTOR(S):

Buchholz, Herwig

PATENT ASSIGNEE(S): Merck Patent G.m.b.H., Germany

SOURCE: Eur. Pat. Appl., 42 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

APPLICATION NO. DATE PATENT NO. KIND DATE ____ ______

```
EP 1508327
                                20050223 EP 2004-15739
                                                                   20040705 <--
                         Α1
        R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR
                                                                   20030818 <--
     DE 10337863
                         A1
                                20050317
                                           DE 2003-10337863
     JP 2005060398
                                20050310
                                            JP 2004-236984
                          Α
                                                                   20040817 <--
     US 20050043398
                         A1
                                20050224
                                            US 2004-920202
                                                                   20040818 <--
     WO 2008025368
                         Α1
                                20080306
                                            WO 2006-EP8474
                                                                   20060830
            AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
             GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP,
             KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN,
             MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS,
             RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ,
             UA, UG, US, UZ, VC, VN, ZA, ZM, ZW
         RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
             IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,
             CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
             GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
             KG, KZ, MD, RU, TJ, TM
     EP 2056782
                         A1 20090513 EP 2006-777117
                                                                  20060830
         R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
             IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL,
             BA, HR, MK, RS
     US 20080027133
                         Α1
                                20080131
                                            US 2007-869192
                                                                   20071009
PRIORITY APPLN. INFO.:
                                            DE 2003-10337863
                                                                A 20030818
                                            US 2004-920202
                                                                A1 20040818
                                            WO 2006-EP8474
                                                                W 20060830
OTHER SOURCE(S):
                        MARPAT 142:225267
     The invention concerns the synthesis of chromene-4-one derivs. and their
     application in cosmetic and dermatol. compns. for protecting and treating
     skin and hair. Thus 5,7-diacetoxy-3-acetyl-2-methyl-chromene-4-one was
     prepared from 2,4,6-trihydroxyacetophenone and sodium acetate in acetic acid
     anhydride; the product was boiled with sodium carbonate to obtain
     5,7-dihydroxy-2-methyl-chromene-4-one. The antiinflammatory activity of
     5,7-dihydroxy-2-methyl-chromene-4-one was tested with the PGE2 assay. A
     W/O emulsion contained (weight/weight%): 5,7-dihydroxy-2-methyl-chromene-4-one
     5; UV-pearl, OMC 30; polyglyceryl-3-dimerate 3; Cera alba 0.3;
     hydrogenated castor oil 0.2; liquid paraffin 7; caprylic/capric triglyceride
     7; hexyl laurate 4; PVP/eicosene copolymer 2; propylene glycol 4;
     magnesium sulfate 0.6; tocopherol 0.5; cyclomethicone 0.5; propylparaben
     0.05; methylparaben 0.15; water to 100.
REFERENCE COUNT:
                              THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS
                               RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT
PΙ
     EP 1508327 A1 20050223
                                          APPLICATION NO.
     PATENT NO.
                       KIND
                                DATE
                        ----
                                _____
     _____
     EP 1508327
                        A1 20050223 EP 2004-15739
                                                                   20040705 <--
PΙ
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR
                         Α1
                                20050317
                                         DE 2003-10337863
                                                                   20030818 <--
     DE 10337863
                                            JP 2004-236984
     JP 2005060398
                         Α
                                20050310
                                                                   20040817 <--
                                            US 2004-920202
     US 20050043398
                         Α1
                                20050224
                                                                   20040818 <--
     WO 2008025368
                         Α1
                               20080306
                                           WO 2006-EP8474
                                                                   20060830
            AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP,
             KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN,
             MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS,
             RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ,
             UA, UG, US, UZ, VC, VN, ZA, ZM, ZW
         RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
```

IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,

```
CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
            GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
            KG, KZ, MD, RU, TJ, TM
    EP 2056782
                        A1 20090513
                                         EP 2006-777117
                                                                 20060830
        R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
            IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL,
            BA, HR, MK, RS
                               20080131 US 2007-869192
                                                                 20071009
    US 20080027133
                       A1
ΙT
    Anti-inflammatory agents
      Eczema
    Hair
    Hair preparations
    Keratosis
    Nail (anatomical), disease
    Papilloma
    Psoriasis
    Skin
    Skin, disease
    Sunscreens
    Wart.
        (synthesis and use of chromene-4-one derivs. for care of skin and hair)
    50-81-7, Vitamin C, biological studies 58-85-5, Biotin 58-95-7,
    Tocopherol acetate 59-67-6, Nicotinic acid, biological studies
    79-83-4, Pantothenic acid 118-56-9, 3,3,5-Trimethylcyclohexylsalicylate
    131-57-7, 2-Hydroxy-4-methoxybenzophenone 1022-78-2 5997-53-5
    6197-30-4, Acrylic acid, 2-cyano-3,3-diphenyl-, 2-ethylhexyl ester
    7732-18-5, Water, biological studies 10020-01-6 10191-41-0,
    DL-\alpha-Tocopherol 24672-78-4 27457-25-6D, Pyrimidinecarboxylic
    acid, derivs. 27503-81-7, 2-Phenylbenzimidazole-5-sulfonic acid
    36861-47-9, 3-(4-Methylbenzylidene)-dl-camphor 42059-55-2 58817-05-3
    63250-25-9, 4-Isopropyldibenzoylmethane 70356-09-1,
    1-(4-Methoxyphenyl)-3-(4-tert-butylphenyl)propane-1,3-dione
    96702-03-3, Ectoin 150668-35-2 158099-19-5 841277-59-6
    RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
       (synthesis and use of chromene-4-one derivs. for care of skin and hair)
L10 ANSWER 5 OF 7 USPATFULL on STN
ACCESSION NUMBER:
                       2005:50597 USPATFULL
                       Use of chromen-4-one derivatives
TITLE:
                       Carola, Christophe, Langen, GERMANY, FEDERAL REPUBLIC
INVENTOR(S):
                       Buchholz, Herwig, Frankfurt, GERMANY, FEDERAL REPUBLIC
                       Huber, Sylvia, Darmstadt, GERMANY, FEDERAL REPUBLIC OF
                       Rosskopf, Ralf, Muenster, GERMANY, FEDERAL REPUBLIC OF
                            NUMBER KIND DATE
                       _______
                      US 20050043398 A1 20050224
US 2004-920202 A1 20040818 (10)
PATENT INFORMATION:
                                                                  <--
APPLICATION INFO.:
                             NUMBER DATE
PRIORITY INFORMATION:
                       DE 2003-10337863 20030818
DOCUMENT TYPE:
                       Utility
                       APPLICATION
FILE SEGMENT:
LEGAL REPRESENTATIVE:
                      MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON
                       BLVD., SUITE 1400, ARLINGTON, VA, 22201
NUMBER OF CLAIMS:
                       25
EXEMPLARY CLAIM:
                       1
                       2275
LINE COUNT:
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
```

where R.sup.1 and R.sup.2 may be identical or different and are selected from H, --C(.dbd.0)--R.sup.7, --C(.dbd.0)--OR.sup.7, alkyl groups, alkenyl groups, hydroxyalkyl groups and/or cycloalkyl groups and/or cycloalkenyl groups, R.sup.3 is H or alkyl groups, R.sup.4 is H or OR.sup.8, R.sup.5 and R.sup.6 are selected from --H, --OH, alkyl groups, alkenyl groups and hydroxyalkyl groups, and R.sup.7 is H, alkyl groups, a polyhydroxyl compound, such as, preferably, an ascorbic acid radical or glycosidic radicals, and R.sup.8 is H or alkyl groups, where at least two of the substituents R.sup.1, R.sup.2 and R.sup.4--R.sup.6 are different from H or at least one substituent from R.sup.1 and R.sup.2 is --C(.dbd.0)--R.sup.7 or --C(.dbd.0)--OR.sup.7, for the care, preservation or improvement of the general state of the skin or hair.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

- SUMM . . . other defects of keratinisation, in particular ichthyosis, ichthyosiform states, Darier's disease, keratosis palmoplantaris, leukoplasia, leukoplasiform states, skin and mucosal (buccal) eczema (lichen), for the treatment of other skin diseases which are associated with defective keratinisation and have an inflammatory and/or immunoallergic. . . of psoriasis relating to the skin, mucous membranes and finger- and toenails, and psoriatic rheumatism and skin atopy, such as eczema, or respiratory atopy, or also hypertrophy of the gums, and for the prophylaxis and/or treatment of all benign or malignant. . .
- SUMM . . . $304\ 802$. The compositions are suitable for the treatment of skin, in particular for the treatment of dermatoses, including atopic eczema.
- SUMM . . . of psoriasis which affect the skin, mucous membranes and fingers and toenails, and psoriatic rheumatism and skin atopy, such as eczema or respiratory atopy, or hypertrophy of the gums, it furthermore being possible for the compounds to be used for some. .
- SUMM . . . is known that compositions of this type can be used, for example, for the therapy of psoriasis, various forms of eczema , irritative and toxic dermatitis, UV dermatitis and further allergic and/or inflammatory diseases of the skin and integumentary appendages. Compositions according. . .
- CLM What is claimed is:
 - . . . a defect of keratinisation, ichthyosis, an ichthyosiform state, Darier's disease, keratosis palmoplantaris, leukoplasia, a leukoplasiform state, skin and mucosal (buccal) eczema (lichen); for the treatment of a skin disease that is associated with defective keratinisation and has an inflammatory and/or immunoallergic component, or psoriasis relating to the skin, mucous membranes or finger- or toenails, or psoriatic rheumatism or skin atopy, eczema, or respiratory atopy, or hypertrophy of the gums, for the prophylaxis and/or treatment of a benign or malignant excrescence of. . .
- CLM What is claimed is:
 - . . . a defect of keratinisation, ichthyosis, an ichthyosiform state, Darier's disease, keratosis palmoplantaris, leukoplasia, a leukoplasiform state, skin and mucosal (buccal) eczema (lichen); for the treatment of a skin disease that is associated with defective keratinisation and has an inflammatory and/or immunoallergic component, or psoriasis relating to the skin, mucous membranes or finger- or toenails, or psoriatic rheumatism or skin atopy, eczema, or respiratory atopy, or hypertrophy of the gums.
- IT 50-81-7, Vitamin C, biological studies 58-85-5, Biotin 58-95-7,

Tocopherol acetate 59-67-6, Nicotinic acid, biological studies 79-83-4, Pantothenic acid 118-56-9, 3,3,5-Trimethylcyclohexylsalicylate 131-57-7, 2-Hydroxy-4-methoxybenzophenone 1022-78-2 5997-53-5 6197-30-4, Acrylic acid, 2-cyano-3,3-diphenyl-, 2-ethylhexyl ester 10020-01-6 10191-41-0, DL- $\alpha-$ Tocopherol 24672-78-4 27457-25-6D, Pyrimidinecarboxylic acid, derivs. 27503-81-7, 2-Phenylbenzimidazole-5-sulfonic acid 36861-47-9, 3-(4-Methylbenzylidene)-dl-camphor 42059-55-2 58817-05-3 63250-25-9, 4-Isopropyldibenzoylmethane 70356-09-1, 1-(4-Methoxyphenyl)-3-(4-tert-butylphenyl)propane-1,3-dione 96702-03-3, Ectoin 150668-35-2 158099-19-5 841277-59-6

(synthesis and use of chromene-4-one derivs. for care of skin and hair)

L10 ANSWER 6 OF 7 USPATFULL on STN

ACCESSION NUMBER: 2004:133909 USPATFULL

TITLE: Tricyclic quinoxaline derivatives as a uv filter

INVENTOR(S): Pflucker, Frank, Darmstadt, GERMANY, FEDERAL REPUBLIC

OF

Schwarz, Michael, Weiterstadt, GERMANY, FEDERAL

REPUBLIC OF

Scholz, Volker, Darmstadt, GERMANY, FEDERAL REPUBLIC OF Neunhofer, Hans, Muhltal, GERMANY, FEDERAL REPUBLIC OF

	NUMBER	KIND	DATE		
PATENT INFORMATION:	US 20040102446	A1	20040527		<
	US 7101537	В2	20060905		
APPLICATION INFO.:	US 2003-471101	A1	20030908	(10)	
	WO 2002-EP1402		20020211		

NUMBER DATE

PRIORITY INFORMATION: DE 2001-10111728 20010309

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: Millen White, Zelano & Branigan, Arlington Courthouse

Plaza I, 2200 Clarendon Boulevard Suite 1400,

Arlington, VA, 22201

NUMBER OF CLAIMS: 14
EXEMPLARY CLAIM: 1
LINE COUNT: 2112

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to the use of quinoxaline derivatives of formula I, represented by formulas 1a and 1b, as photostable UV filters, in particular in cosmetic and pharmaceutical preparations for protecting the human epidermis or human hair against UV radiation, above all in the 280-400 nm range. ##STR1##

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

SUMM . . . is known that preparations of this type can be used, for example, for the therapy of psoriasis, various forms of eczema , irritative and toxic dermatitis, UV dermatitis and further allergic and/or inflammatory diseases of the skin and integumentary appendages. Preparations according. . .

IT 50652-76-1, 2-Hydroxy-5-methylaurophenone oxime 96702-03-3, Ectoin 165542-15-4, Hydroxyectoin 457899-12-6 (antioxidants stabilized by; preparation of quinoxaline derivs. for use as as UV filter stabilizers in cosmetic and pharmaceutical formulations)

L10 ANSWER 7 OF 7 USPATFULL on STN ACCESSION NUMBER: 2004:63310 USPATFULL

Ectoin or ection derivatives and surfactants TITLE:

INVENTOR(S): Buenger, Joachim, Otzberg-Hering, GERMANY, FEDERAL

REPUBLIC OF

Driller, Hans-Juergen, Gross-Umstadt, GERMANY, FEDERAL

REPUBLIC OF

Martin, Roland, Weinheim, GERMANY, FEDERAL REPUBLIC OF

PATENT ASSIGNEE(S): Merck Patent GmbH, Darmstadt, GERMANY, FEDERAL REPUBLIC

OF (non-U.S. corporation)

NUMBER KIND DATE ______

US 20040047828 A1 20040311 US 2003-620812 A1 20030717 (10) PATENT INFORMATION:

APPLICATION INFO.:

Continuation-in-part of Ser. No. US 2001-744945, filed RELATED APPLN. INFO.: on 31 Jan 2001, GRANTED, Pat. No. US 6602514 A 371 of International Ser. No. WO 1999-EP5239, filed on 22 Jul

1999, UNKNOWN

NUMBER DATE

_____ DE 1998-19834817 19980801 PRIORITY INFORMATION:

DE 1999-DE19911775 19990317

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON

BLVD., SUITE 1400, ARLINGTON, VA, 22201

NUMBER OF CLAIMS: 17
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 9 Drawing Page(s)
840

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The invention relates to the use of one or more compounds selected from $% \left(1\right) =\left(1\right) \left(1\right) \left($ the compounds of formulas (Ia) and (Ib), to the physiologically compatible slats of compounds of formulas (Ia) and (Ib), and to the stereoisomeric forms of the compounds of formulas (Ia) and (Ib), whereby R.sup.1, R.sup.2, R.sup.3, R.sup.4 and n have the meanings cited in Claim Nr. 1. The compounds are used for producing a cosmetic formulation. The compounds are, for example, advantageously used for protecting cells, proteins and/or biomembranes of the human skin, for protecting the microflora of the human skin, for stabilizing the skin barrier, and/or for ameliorating effects of surfactants.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

. . . microorganisms increases in the case of moist skin, for SUMM example, as a result of inflammatory changes in the case of eczema, by up to 1000-fold.

107-43-7, Betaine 151-21-3, Sodium dodecyl sulfate, biological studies ΙT 541-02-6, Mirasil CM 5 2235-54-3, Ammonium laurylsulfate 3198-32-1D, Benzene sulfonate, alkyl derivs. 9004-82-4, Sodium lauryl ether sulfate 84750-06-1, Arlacel 165 96702-03-3 110734-66-2, AbilWE09 129651-72-5, Luvitol EHO 148093-12-3, Sepigel 305 165542-15-4

, (S,S)-1,4,5,6-Tetrahydro-5-hydroxy-2-methyl-4-pyrimidinecarboxylic acid (cosmetic prepns. containing ectoin or ection derivs. and surfactants)

=> END

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:Y

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 149.38 164.88

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL ENTRY SESSION CA SUBSCRIBER PRICE -7.38

STN INTERNATIONAL LOGOFF AT 20:16:17 ON 05 JUN 2009